



A&D EW-i Series Balance, 300/600/1500 x 0.1/0.2/0.5 g EW-1500i, External Calibration

Description: A wider selection of capacities & resolutions, and remote-zeroing has been included in a low-profile rugged housing. The EW-i series comes with triples ranges of weighing. All features a standard interface and are designed to meet weights and measures regulations of various countries.

Features:

- Triple range weighing
- Portable-compact size, lightweight, rugged body
- Sealed key panel protection against dust and spills
- Control zero, mode selection and data output with standard RS-232C
- Nine built in weighing units plus counting & percentage with user priority start-up
- Counting function with Automatic Counting Accuracy Improvement
- Large LCD display with backlight – easy to read even at a wide viewing angle or dark environment
- Full Digital Calibration with optional user definable mass setting
- Overload protection
- Stainless steel weighing pan

Technical Specifications:

Model	EW-1500i
Capacity (g)	300/600/1500

USA | Canada | Australia | International
medisca.com

Readability (g)	0.1/0.2/0.5
Repeatability (std. dev.) (g)	0.1/0.2/0.5
Linearity (g)	±0.1/0.2/0.5
Power requirements	AC Adapter or Ni-MH Battery Pack (Optional)
Data interface	RS-232-C
Draft shield	No
Calibration	External
Calibration mass, default (g)	1500
Pan size (mm)	133 x 170
Balance dimensions: W x H x D (mm)	190 x 218 x 53
Net weight (kg)	1.5

Additional Information :

Compatible printer : 7730-01

Warranty : 3 years

USA | CANADA | AUSTRALIA PACIFIC | EUROPE

WWW.MEDISCA.COM

Please note that the information contained herein is for informational purposes only. The information is based on recognized compendia, manufacturers' instructions and/or other authoritative sources and texts. MEDISCA takes no responsibility for the validity or accuracy of this information. Customer MUST refer to USP, FDA, Health Canada, TGA and/or their State Board to ensure they comply with the specific regulations and ensure that appropriate procedures are in place.