



**PRODUCT NO.: 9972**



## BEAKER, GRADUATED GLASS TYPE I (4000 mL)

Graduation Range: 500–3500 mL, Graduation Interval: 250 mL, Dual Scale

**DESCRIPTION:** This beaker offers excellent mechanical strength and durability, while providing high resistance to chemical attack and thermal shock.

### FEATURES:

- ✔ Thick, slightly flared, beaded top, with a spout designed to have excellent pouring characteristics
- ✔ Improved mechanical and thermal properties result from the uniform sidewall and bottom thickness design
- ✔ Suitable for use on a hotplate
- ✔ Durable matte finish marking area for use with an ordinary pencil
- ✔ Easy-to-read white graduated scale for measuring and/or mixing liquids
- ✔ Design meets ASTM Specification E960, Type I requirements
- ✔ Manufactured from 33-expansion, low extractable borosilicate glass conforming to USP Type I and ASTM E438, Type I, Class A requirements

### TECHNICAL SPECIFICATIONS:

Capacity (mL)	4000
Material	Low expansion Borosilicate Glass
Graduation Range (mL)	500 – 3500
Graduation Interval (mL)	250
Accuracy	± 5% of full capacity
Approximate Lip O.D. (mm)	187
Approximate O.D. x H (mm)	161 x 250