

### **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME	CLOBETASOL 17-PROPIONATE, USP (Micronized)	
PRODUCT CODE	0372	
SUPPLIER	MEDISCA Inc.   Tel.: 1.800.932.1039   Fax.: 1.855.850.5855   661 Route 3, Unit C, Plattsburgh, NY, 12901   6641 N. Belt Line Road, Suite 130, Irving, TX, 75063   MEDISCA Pharmaceutique Inc.   Tel.: 1.800.665.6334   Fax.: 514.338.1693   4509 Rue Dobrin, St. Laurent, QC, H4R 2L8   21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2   MEDISCA Australia PTY LTD   Tel.: 1.300.786.392   Fax.: 61.2.9700.9047   Unit 7, Heritage Business Park   5-9 Ricketty Street, Mascot, NSW 2020	
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670	
RECOMMENDED USES	Manufacturing and Compounding	
RESTRICTIONS ON USE	Not applicable	

## **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION	Acute Toxicity - Oral (Category 5) Toxic to Reproduction (Category 1B) Specific Target Organ Toxicity - Repeated Exposure (Category 1) - (endocrine system) Chronic Aquatic Toxicity (Category 2)
PICTOGRAM	
SIGNAL WORD	Danger
HAZARD STATEMENT(S)	May be harmful if swallowed May damage fertility or the unborn child. Causes damage to endocrine system through prolonged or repeated exposure Causes skin and serious eye irritation May cause an allergic reaction Toxic to aquatic life with long lasting effects.
ADVERSE PHYSIOCHEMICAL, HUMAN	Not Applicable.
HEALTH AND ENVIRONMENTAL EFFECTS	



PRECAUTIONARY STATEMENT(S)	Prevention	Do not Wear p Do not Do not Wash h	handle until all sa	afety precautio protective cloth ne/gas/mist/ va oke when using after handling.	this product.			otection.
Response IF SWALLOW   IF ON SKIN: advice/attenti   IF IN EYES: present and e   advice/attenti IF EXPOSED   COLLECT SF COLLECT SF				IF SWALLOWED: Get medical help. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF EXPOSED OR CONCERNED: Get medical advice. COLLECT SPILLAGE. Get medical help if you feel unwell.				s, if
	Storage	Store lo	ocked up.					
	Disposal	Dispos	e of contents and	d/or container ir	n accordance with lo	cal regul	lations.	
HMIS CLASSIFICATION	Health Hazard		2		Flammability		1	
	Reactivity		0		Personal Protection	(	G	

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	21-Chloro-9-fluoro-11
BOTANICAL NAME	Not applicable
SYNONYM	Not applicable
CHEMICAL FORMULA	C25H32CIFO5
CHEMICAL FAMILY	Corticosteroid
CAS NUMBER	25122-46-7
ALTERNATE CAS NUMBER	Not applicable
MOLECULAR WEIGHT	466.9738
COMPOSITION	CHEMICAL NAME CAS NUMBER EC NUMBER % BY WEIGHT
	CLOBETASOL PROPIONATE   25122-46-7   246-634-3   100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

# SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek
	medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.



SYMPTOMS CAUSED BY EXPOSURE

Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	Small fire: dry chemical, CO <sub>2</sub> or water spray. Large fire: dry chemical, CO <sub>2</sub> , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
NOTES	Dust explosion properties: Kst: 195 bar.m/s St class: 1 Minimum ignition energy (MIE) – dust cloud: 3 - 4 mJ Potential for dust explosion: Weak explosion.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers. Minimize generation of dust.
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.
REFERENCE TO OTHER SECTIONS	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
	SECTION 7: HANDLING AND STORAGE
PRECAUTIONS FOR SAFE HANDLING	Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
CONDITIONS FOR SAFE STORAGE	Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.



## SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### Chemical Name: CLOBETASOL PROPIONATE CAS #: 25122-46-7

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
DSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
VEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ISIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ISE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
SESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m<sup>3</sup> PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a thermal hazard, appropriate Personal Protective Equipment should be used. SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower. **BIOLOGICAL MONITORING** Not available CONTROL BANDING Not available NOTES USP: ELV: Industrial TWA: 2 micrograms/m<sup>3</sup> (skin)

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid	Solid					
DESCRIPTION	White	e to cream, crystallin	e powder.				
SOLUBILITY		Soluble in acetone, in dimethyl sulfoxide, in chloroform, in methanol, and in dioxane; sparingly soluble in ethanol; slightly soluble in benzene and in diethyl ether; practically insoluble in water.					
ODOR	Odorl	Odorless					
FLAMMABILITY	May b	May be combustible at high temperature					
AUTO-IGNITION TEMPERATURE		Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	Not available	
EVAPORATION RATE		Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available	



log P (OCTANOL-WATER)	3.5	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	(195 - 197)°C, (383-386.6)°F
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рн 📀	6.8 - 7 (10%) (20°C)
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	Not available	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	< 0.0000001 kPa (25°C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

### SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Strong oxidants, acids, alkalis
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, hydrogen chloride and fluoride and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBLITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures

## SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Dermal: Rabbit	Oral: Rat: LD50: (mg/kg): >3000 Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available					
SKIN CORROSION/IRRITATION	Due to lack of d	ata the classification is not possible.					
SERIOUS EYE DAMAGE/EYE IRRITATION	Due to lack of d	Due to lack of data the classification is not possible.					
RESPIRATORY SENSITIZATION	Due to lack of d	Due to lack of data the classification is not possible.					
SKIN SENSITIZATION	There are report Suspected skin	Due to lack of data the classification is not possible. There are reports of hypersensitivity and anaphylaxis following corticosteroid exposure. Suspected skin sensitiser: The Toolbox profiler Protein binding alerts for skin sensitization by OASIS v1.3 gives an alert for skin sensitisation.					
GERM CELL MUTAGENICITY	Suspected muta mutagenicity; T	Based on available data, the classification criteria are not met. Suspected mutagen: The Toolbox profiler in vitro mutagenicity (Ames test) alerts by ISS gives an alert for mutagenicity; The Toolbox profiler Protein binding alerts for Chromosomal aberration by OASIS v1.1 gives an alert for mutagenicity.					
CARCINOGENICITY	OSHA	CLOBETASOL PROPIONATE is not listed.					
	NTP	CLOBETASOL PROPIONATE is not listed.					



	IARC	CLOBETASOL PROPIONATE is not evaluated.					
	California Proposition 65	This product contains the following chemical known to the State of California to cause birth defects or other reproductive harm: CLOBETASOL PROPIONATE.					
ADDITIONAL CARCINOGENICITY	Suspected carci	Based on available data, the classification criteria are not met. Suspected carcinogen: The Toolbox profiler Carcinogenicity (genotox and nongenotox) alerts by ISS gives an alert for carcinogenicity.					
REPRODUCTIVE TOXICITY	May cause adverse reproductive effects based on animal data. Suspected of damaging fertility or the unborn child. Most studies have concluded that therapeutic use of corticosteroids by pregnant women does not cause adverse effects on the fetus. A small increase in the incidence of cleft palate was seen in some human studies. Infants born to mothers who received substantial doses of corticosteroids during pregnancy should be observed for signs of hypoadrenalism. Reproductivity 0.003 - 0.01 mg/kg Reproductivity and development study Result: Teratogenic. Species: Rabbit 0.03 - 1 mg/kg Reproductivity and development study, administered subcutaneously. Result: Fetotoxic at high dose; teratogenic at 0.03 mg/kg. Species: Mouse 0.05 mg/kg/day Reproductivity and development study, administered subcutaneously. Result: Embryotoxic and fetotoxic. Species: Rat Suspected toxic for reproduction: The Toolbox profiler DART scheme v.1.0 gives an alert for toxicity to						
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Based on availa	ble data, the classification criteria are not met.					
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Causes damage to organs (endocrine system) through prolonged or repeated exposure.						
ASPIRATION HAZARDS	Based on availa	Based on available data, the classification criteria are not met.					
SIGNS AND SYMPTOMS OF EXPOSURE	ROUTES OF EXPOSURE: Oral, Dermal, Inhalation, Eye contact EARLY ONSET SYMPTOMS RELATED TO EXPOSURE: Not available DELAYED HEALTH EFFECT FROM EXPOSURE: Corticosteroids: Fluid and electrolyte imbalance. Cushing's syndrome. Adrenal suppression. Immune system depression. Withdrawal.						
	Symptoms related to the physical, chemical, and toxicological characteristics: Mineralocorticoid effects: Swelling. Confusion. Lightheadedness. Nausea. Vomiting. Numbness. Tremors. Glucocorticoid effects: Bone fractures. Back pain. Joint pain or stiffness. Weakness. Increased appetite. Infection. Delayed wound healing. Thinning skin. Bruising. Purple lines on skin. Increased hair growth. Acne. Redistribution of body fat. Menstrual irregularities. Impotence. Headache. Increased sweating. Eye pain. Change in vision. Mental or behavioral changes.						
	Chronic effects: Causes damage to organs through prolonged or repeated exposure. Adrenal suppression. Immune system depression. Hypercorticism or Cushing's syndrome. Withdrawal effects after chronic exposure is discontinued include fever, muscle pain, joint pain, and malaise.						
	Cross sensitivity: Persons sensitive to one corticosteroid may be sensitive to this material also.						
	Corticosteroids:	ns aggravated by exposure: Heart disease. High blood pressure. Diabetes. Epilepsy. Glaucoma. Hypothyroidism. eptic ulcer. Systemic fungal infection. Mental disorders. Impaired liver or kidney function.					
POTENTIAL HEALTH EFFECTS	Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. May cause allergic reaction.					
	Ingestion	Harmful if swallowed.					



SkinMay be harmful if absorbed through skin. Causes skin irritation. May cause allergic reaction.EyesCauses serious eye irritation.

### SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	EC50: 48 Hr: Crustacea: (Daphnia magna) (mg/L): >1.4 LC50: 96 Hr: Fish: (Oncorhynchus mykiss) (mg/L): >0.75 IC50: 72 Hr: Algae: (Pseudokirchnerella subcapitata) (mg/L): >4.2
PERSISTENCE AND DEGRADABILITY	Suspected persistent in the environment: The Danish QSAR database contains information indicating that the substance is predicted as non readily biodegradable.
BIOACCUMULATIVE POTENTIAL	Log Pow: 3.5
MOBILITY IN SOIL	Water Solubility: 3.860 mg/L (25°C) Henry's Law Constant: 2.32E-14 atm-m³/mole (25°C)
OTHER ADVERSE EFFECTS	Not available
	This product is not intended to be released into the environment
NOTES	*Danish QSAR database

### SECTION 13: DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS** 

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

### SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
HAZCHEM	Not applicable
EU TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not Listed
ENVIRONMENTAL HAZARDS SPECIAL SHIPPING INFORMATION	Not available Not applicable

### SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS



Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
CLOBETASOL PROPIONATE 25122-46-7	N/L	N/L	N/L	N/L	N/L	N/L	N/L	х

N/L = Not Listed; X = Listed

#### AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
CLOBETASOL PROPIONATE 25122-46-7	N/L	Listed as Schedule 4*	N/L	Listed*	N/L	N/L

N/L = Not Listed

#### EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
CLOBETASOL PROPIONATE 25122-46-7	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL Not applicable

AGREEMENT

NOTES

\*Listed as the base

### **SECTION 16: OTHER INFORMATION**

#### REFERENCES

ABBREVIATIONS AND ACRONYMS

#### Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL -Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System

LAST REVISION	02/2023
SUPERSEDES	04/2021



For a list of changes to the SDS since the last version, please communicate with MEDISCA at <u>www.medisca.com</u>

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.