

## **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME CAFFEINE USP (Anhydrous)

PRODUCT CODE 0419

SUPPLIER

MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

## **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION Acute Toxicity - Oral (Category 3)

Acute Toxicity - Inhalation (Category 4) Acute Toxicity - Dermal (Category 5) Chronic Aquatic -Toxicity (Category 3)

**PICTOGRAM** 

SIGNAL WORD

Danger

HAZARD STATEMENT(S)

Toxic if swallowed.

Harmful if inhaled.

May be harmful if in contact with skin. Harmful to aquatic life with long lasting effects.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

**EFFECTS** 

Not applicable



PRECAUTIONARY STATEMENT(S) Prevention Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/ vapors/spray. Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Response IF SWALLOWED: Immediately call a poison center. Get emergency medical help

immediately. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical

help.

IF ON SKIN: Get medical help.

Storage Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container to in accordance with local regulation.

HMIS CLASSIFICATION Health Hazard 2 Flammability 0

Reactivity 0 Personal Protection G

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME 1H-Purine-2,6-dione, 3,7-dihydro-1,3,7-trimethyl-

Disposal

BOTANICAL NAME Not applicable

**SYNONYM** 1,3,7-Trimethylxanthine

CHEMICAL FORMULA C<sub>8</sub>H<sub>10</sub>N<sub>4</sub>O<sub>2</sub>

CHEMICAL FAMILY Methylated xanthine

CAS NUMBER 58-08-2

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT 194.193

MOLECULAR WEIGHT 194.193

COMPOSITION

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
CAFFEINE (Anhydrous)	58-08-2	200-362-1	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

## **SECTION 4: FIRST-AID MEASURES**

IN CASE OF EYE CONTACT

Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician.

MEDICAL ATTENTION AND SPECIAL

TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

Last Revision: 02/2023 CAFFEINE USP (Anhydrous) Page 2 of 8



## **SECTION 5: FIREFIGHTING MEASURES**

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Not applicable.

May be combustible at high temperature.

Under fire conditions, hazardous fumes will be present.

Small fire: dry chemical, CO<sub>2</sub> or water spray. Large fire: dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

METHODS & MATERIAL FOR

CLEANUP PROCEDURE

CONTAINMENT

On land, sweep or shovel into suitable containers. Minimize generation of dust.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

Short term excursions, temperature excursions as experienced during shipping and warehousing, up to 40°C are acceptable.

## SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: CAFFEINE (Anhydrous) CAS #: 58-08-2

Last Revision: 02/2023 CAFFEINE USP (Anhydrous) Page 3 of 8



	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes	
		ppm	mg/m³	ppm	mg/m³					
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

NOTES USP: ELV: Industrial: TWA: 200 micrograms/m³

Pharmacologically active material. Occupational exposure may cause physiological effects.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Solid

**DESCRIPTION** White powder or white, glistening needles usually matted together. Is odorless.

SOLUBILITY Sparingly soluble in water and in alcohol; freely soluble in chloroform; slightly soluble in ether.

ODOR Is odorless.

FLAMMABILITY May be combustible at high temperature

AUTO-IGNITION >600°C, >1112°F BOILING POINT 178°C, 352.4°F DECOMPOSITION Not available (sublimes) TEMPERATURE

EVAPORATION RATE Not available EXPLOSIVE LIMIT Not available FLASH POINT Not available

log P (OCTANOL-WATER) -0.091 (23°C) LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S) Not available MELTING/FREEZING (235 - 239)°C, (455-462.2)°F



PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	5.5 - 6.9 (1 %)
RELATIVE DENSITY (WATER = 1)	1.23 (19°C)	SPECIFIC GRAVITY	1.23 (18°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	15 mmHg (89°C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur.

REACTIVITY Not established.

CHEMICAL STABILITY Stable under recommended storage conditions.

INCOMPATIBLE MATERIALS Strong oxidizing agents. Alkaline metals. Tannins. Caustic solutions.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

Will not occur.

HAZARDOUS POLYMERIZATION POSSIBLITY OF HAZARDOUS

REACTION

Not established.

CONDITIONS TO AVOID

Moisture, sunlight and extreme temperatures.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): 192

Dermal: Rat: LD50: (mg/kg): > 2000 Inhalation: Rat: LC50: (mg /L/4hr): 4.94

SKIN CORROSION/IRRITATION Based on available data, the classification criteria are not met:

Irritancy - OECD 404. Result: Not irritant. Species: Rabbit

SERIOUS EYE DAMAGE/EYE

Based on available data, the classification criteria are not met:

IRRITATION

Irritancy - OECD 405. Result: Not irritant. Species: Rabbit

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

**SKIN SENSITIZATION**Due to lack of data the classification is not possible.

GERM CELL MUTAGENICITY

Due to lack of data the classification is not possible.

CARCINOGENICITY OSHA CAFFEINE is not listed.

NTP CAFFEINE is not listed.

IARC CAFFEINE is listed in group 3 (not classifiable as to its carcinogenicity to humans).

California This product does not contain any chemicals known to the State of California to cause

**Proposition 65** cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Based on available data, the classification criteria are not met.



REPRODUCTIVE TOXICITY Based on available data, the classification criteria are not met.

Caffeine intake in humans does not appear to increase the risk of birth defects. There are conflicting data on

whether high daily doses increase the risk of miscarriage or decreased birth weight.

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Due to lack of data the classification is not possible.

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

Due to lack of data the classification is not possible.

ASPIRATION HAZARDS

SIGNS AND SYMPTOMS OF EXPOSURE

ROUTES OF EXPOSURE: Oral, Dermal, Inhalation, Eyes

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Based on available data, the classification criteria are not met.

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Symptoms related to the physical, chemical, and toxicological characteristics:

Xanthine derivatives: Gastrointestinal disturbances. Fast or irregular heartbeat. Flushing. Dizziness. Trembling.

Convulsions. Shortness of breath. Headache. Increased urination. Mood or mental changes.

POTENTIAL HEALTH EFFECTS Inhalation Harmful if inhaled.

**Ingestion** Toxic if swallowed. This material may cause: Central nervous system effects. Cardiovascular

effects

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

### **SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICITY EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): 182

LC50: 96 Hr: Fish: (mg/L): 87 - 151

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY Poorly biodegradable.

BIOACCUMULATIVE POTENTIAL LogPow: -0.091 (23°C)

IOACCUMULATIVE POTENTIAL LogPow: -0.091 (23°C)

MOBILITY IN SOIL Water Solubility: 2.16e +04 mg/L (25°C)
Vapor Pressure: 15 mmHg (89°C)

Henry's Law Constant: 1.90E-19 atm-m³/mole (25°C)

OTHER ADVERSE EFFECTS Not available

This product is not intended to be released into the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

### **SECTION 14: TRANSPORT INFORMATION**

UN PROPER SHIPPING NAME ALKALOID SALTS, SOLID, N.O.S.

UN NUMBER 1544

Last Revision: 02/2023 CAFFEINE USP (Anhydrous) Page 6 of 8



CLASS 6.1

PACKING GROUP III

<u>AUSTRALIA</u>

HAZCHEM 2X

EU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

Not Listed

ENVIRONMENTAL HAZARDS Not available
SPECIAL SHIPPING INFORMATION Not applicable

# **SECTION 15: REGULATORY INFORMATION**

#### **UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
CAFFEINE (Anhydrous) 58-08-2	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

### **AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
CAFFEINE (Anhydrous)	N/L	Listed as Schedule	N/L	Listed	N/L	N/L
58-08-2		6				

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
CAFFEINE (Anhydrous) 58-08-2	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product. SUBJECT TO INTERNATIONAL Not applicable

**AGREEMENT** 

## **SECTION 16: OTHER INFORMATION**

**REFERENCES** Available upon request

Last Revision: 02/2023 CAFFEINE USP (Anhydrous) Page 7 of 8



#### ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION SUPERSEDES

02/2023

04/2021

For a list of changes to the SDS since the last version, please communicate with MEDISCA at <a href="https://www.medisca.com">www.medisca.com</a>

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.