

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME SODIUM BENZOATE, NF

PRODUCT CODE 0551

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

MEDISCA Australia PTY LTD

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION Acute Toxicity - Oral (Category 5)

Sensitization - Respiratory (Category 1B) Sensitization - Skin (Category 1B) Eye Irritation (Category 2A) Acute Aquatic Toxicity (Category 3)

PICTOGRAM

Danger



SIGNAL WORD

HAZARD STATEMENT(S) May be harmful if swallowed.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Harmful to aquatic life.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS Repeated exposure may cause skin dryness or cracking.



PRECAUTIONARY STATEMENT(S) Prevention Wash hands thoroughly after handling. Do not touch eyes.

Wear protective gloves, eye and face protection.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product. Avoid breathing dust, fume, gas, mist, vapors, spray. In case of inadequate ventilation wear respiratory protection.

Avoid release to the environment.

Response IF SWALLOWED: Get medical help.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get medical help immediately call a poison

center or medical professional.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical help

advice/attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help.

Storage Not applicable

Disposal Dispose of contents and/or container in accordance with local regulations.

HMIS CLASSIFICATION Health Hazard 1 Flammability 0

Reactivity 0 Personal Protection

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME Benzoic acid, Sodium salt

BOTANICAL NAME

SYNONYM

Not applicable

CHEMICAL FORMULA

C7HsNaO2

CHEMICAL FAMILY Salt of aromatic carboxylic acid

CAS NUMBER 532-32-1
ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT 144.10

COMPOSITIONCHEMICAL NAMECAS NUMBEREC NUMBER% BY WEIGHTSODIUM BENZOATE532-32-1208-534-8100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWEDCall a physician. Wash out mouth with water. Do NOT induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician

MEDICAL ATTENTION AND SPECIAL

TREATMENT

Get emergency medical help.

Last Revision: 03/2023 SODIUM BENZOATE, NF Page 2 of 8



SYMPTOMS CAUSED BY EXPOSURE

Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE **EXTINGUISHING MEDIA**

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS Finely dispersed particles form explosive mixtures in air, prevent deposition of dust.

Combustible at high temperature. May form explosive mixtures with air.

Under fire conditions, hazardous fumes will be present.

Small fire: dry chemical, CO2 or water spray. Large fire: dry chemical, CO2, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Avoid static discharge.

METHODS & MATERIAL FOR

CONTAINMENT

CLEANUP PROCEDURE

On land, sweep or shovel into suitable containers. Minimize generation of dust.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: SODIUM BENZOATE CAS #: 532-32-1

Last Revision: 03/2023 SODIUM BENZOATE, NF Page 3 of 8



	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes	
		ppm	mg/m³	ppm	mg/m³					
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	N/L	2.5	N/L	N/L	N/L	N/L	N/A	TWA (inhalable particulate matter)(skin)	
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Germany (AGS)	N/L	10 (1)(2)	N/L	20 (1)(2)(3)	N/L	N/L	N/A	(1) Inhalable fraction (2) Skin	
									(3) 15 minutes average	
									value	

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING Not available
CONTROL BANDING Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Solid

DESCRIPTION White, odorless or practically odorless, granular or crystalline powder. Hygroscopic.

SOLUBILITY Freely soluble in water; sparingly soluble in alcohol and somewhat more soluble in 90 % alcohol.

ODOR Odorless

FLAMMABILITY Combustible at high temperature. May form explosive mixtures with air.

AUTO-IGNITION >500°C, >932°F BOILING POINT (450-475)°C, DECOMPOSITION (450-475)°C, (842-887)°F TEMPERATURE (842-887)°F (decomposes)

EVAPORATION RATE Not available **EXPLOSIVE LIMIT** Not available **FLASH POINT** 111°C, 231.8°F

(TCC)

 log P
 -2.270
 LOWER FLAMMABLE/
EXPLOSIVE LIMIT(S)
 Not available
 MELTING/FREEZING
POINT
 (300-331)°C,
(572-627.8)°F
(410 - 430) °C,

(770 - 806) °F



PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	7 - 8 (5%)
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.44	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	4.97	VAPOR PRESSURE	< 0.001 hPa (20°C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY Not established

Stable under recommended storage conditions **CHEMICAL STABILITY**

INCOMPATIBLE MATERIALS Acids. Ferric salts. Strong oxidizing agents.

HAZARDOUS DECOMPOSITION

PRODUCTS

HAZARDOUS POLYMERIZATION Will not occur Not established POSSIBLITY OF HAZARDOUS

REACTION

CONDITIONS TO AVOID

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

Moisture, sunlight and extreme temperatures Hygroscopic - avoid exposure to moisture.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): 2100

Dermal: Rabbit: LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L): Not available

SKIN CORROSION/IRRITATION Based on available data, the classification criteria are not met.

SERIOUS EYE DAMAGE/EYE Causes eye irritation.

IRRITATION Rabbit: Eye irritation; Result: Slight. Rabbit: Eye irritation: Irritant (OECD 405)

RESPIRATORY SENSITIZATION Benzoates can cause hypersensitivity reactions, but there have also been reports of non-immunological contact urticaria. Respiratory reactions to benzoates may occur, especially in patients susceptible to aspirin-induced

asthma. Anaphylactoid reactions have been reported.

SKIN SENSITIZATION May cause an allergic skin reaction.

GERM CELL MUTAGENICITY Based on available data, the classification criteria are not met.

CARCINOGENICITY **OSHA** SODIUM BENZOATE is not listed.

> NTP SODIUM BENZOATE is not listed. **IARC** SODIUM BENZOATE is not evaluated.

California This product does not contain any chemicals known to the State of California to cause

Proposition 65 cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Last Revision: 03/2023 SODIUM BENZOATE, NF Page 5 of 8

Based on available data, the classification criteria are not met.



REPRODUCTIVE TOXICITY Based on available data, the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY - Due to lack of data the classification is not possible.

SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY - Due to lack of data the classification is not possible.

REPEATED EXPOSURE

ASPIRATION HAZARDS Based on available data, the classification criteria are not met.

ROUTES OF EXPOSURE:

SIGNS AND SYMPTOMS OF

EXPOSURE Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Metabolic acidosis. High blood pressure. Hyperglycemia. Hypokalemia. Altered mental status.

Symptoms related to the physical, chemical, and toxicological characteristics:

Nausea. Vomiting. Diarrhea. Abdominal pain. Fever.

Medical conditions aggravated by exposure:

Asthma. Peptic ulcer. Skin disorders. Kidney impairment.

POTENTIAL HEALTH EFFECTS Inhalation Inhalation of vapors or mists in high concentration may cause irritation of respiratory system.

Ingestion May be harmful if swallowed. Ingestion of large quantity may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Skin Prolonged or repeated contact may dry skin and cause irritation. May cause an allergic skin

reaction.

Eyes Causes serious eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): 100

LC50: 96 Hr: Fish:Pimephales promelas (mg/L): >100

EC50: 72 Hr: Algae: (mg/L): 30.5

PERSISTENCE AND DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

Log Pow = -2.27

Readily biodegradable.

MOBILITY IN SOIL

Water solubility: 63 g/100mL (20°C)

OTHER ADVERSE EFFECTS

May be harmful to freshwater aquatic species and to plants that are not saline tolerant.

This product will contribute to the total BOD.

This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME

Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable

Last Revision: 03/2023 SODIUM BENZOATE, NF Page 6 of 8



PACKING GROUP Not applicable

AUSTRALIA

HAZCHEM Not applicable

EU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

IDO OODL

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name	CERCLA 40 CFR	SARA (Title III) 40 CFR	EPA 40 CF	R Part 355	Right-to-know			California Prop 65	
& CAS	Part 302.4	Part 372.65	Appendix A	Appendix B	Pennsylvania	New Jersey	Massachusetts	110000	
SODIUM BENZOATE, 532-32-1	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L	

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
SODIUM BENZOATE, 532-32-1	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
SODIUM BENZOATE, 532-32-1	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

AGREEMENT

SECTION 16: OTHER INFORMATION

REFERENCES Available upon request

Last Revision: 03/2023 SODIUM BENZOATE, NF Page 7 of 8



ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION

SUPERSEDES

03/2023

10/2022

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.