


## SECTION 1: PRODUCT IDENTIFICATION

<b>PRODUCT NAME</b>	<b>LUGOL'S SOLUTION, USP (Strong Iodine Solution)</b>
<b>PRODUCT CODE</b>	<b>0598</b>
<b>SUPPLIER</b>	<b>MEDISCA Inc.</b> Tel.: 1.800.932.1039   Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 <b>MEDISCA Pharmaceutique Inc.</b> Tel.: 1.800.665.6334   Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 <b>MEDISCA Australia PTY LTD</b> Tel.: 1.300.786.392   Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
<b>EMERGENCY PHONE</b>	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670
<b>RECOMMENDED USES</b>	Manufacturing and Compounding
<b>RESTRICTIONS ON USE</b>	Not applicable

## SECTION 2: HAZARDS IDENTIFICATION

<b>GHS CLASSIFICATION</b>	Sensitization - Skin (Category 1)		
<b>PICTOGRAM</b>			
<b>SIGNAL WORD</b>	Warning		
<b>HAZARD STATEMENT(S)</b>	May cause irritation to the skin, eyes and respiratory tract. Upon decomposition or heating, iodine vapor is released which is highly toxic. May cause an allergic skin reaction.		
<b>ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS</b>	Not Applicable		
<b>PRECAUTIONARY STATEMENT(S)</b>	<b>Prevention</b>	Avoid breathing dust/fume/gas/mist/ vapors and spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.	
	<b>Response</b>	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical help advice/attention. Take off contaminated clothing and wash it before reuse.	
	<b>Storage</b>	Not applicable	
	<b>Disposal</b>	Dispose of contents and/or container in accordance with local regulations.	
<b>HMS CLASSIFICATION</b>	<b>Health Hazard</b>	1	<b>Flammability</b> <span style="float: right; text-align: center;">0</span>

**Reactivity**

0

**Personal Protection**

E

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**CHEMICAL NAME** Not applicable  
**BOTANICAL NAME** Not applicable  
**SYNONYM** Not applicable  
**CHEMICAL FORMULA** Not applicable  
**CHEMICAL FAMILY** Not applicable  
**CAS NUMBER** Not applicable  
**ALTERNATE CAS NUMBER** Not applicable  
**MOLECULAR WEIGHT** Not applicable

**COMPOSITION**

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
IODINE	7553-56-2	231-442-4	~ 5.0
POTASSIUM IODIDE	7681-11-0	231-659-4	~ 10.0
WATER	7732-18-5	231-791-2	~ 90 - 95

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

**SECTION 4: FIRST-AID MEASURES**

**IN CASE OF EYE CONTACT** Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.  
**IN CASE OF SKIN CONTACT** Wash with soap & water for 15 minutes. Iodine stains can be removed by immediately washing skin with 5% sodium thiosulfate solution. If irritation persists seek medical aid.  
**IF SWALLOWED** Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.  
**IF INHALED** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. Observe for the development of pulmonary edema.  
**MEDICAL ATTENTION AND SPECIAL TREATMENT** Get emergency medical help.  
**SYMPTOMS CAUSED BY EXPOSURE** Not expected to present a significant hazard under anticipated conditions of normal use.

**SECTION 5: FIREFIGHTING MEASURES**

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL** Toxic fumes of iodine may be emitted upon heating. Contains iodine which enhances combustion of other substances.  
**FLAMMABLE PROPERTIES** May be combustible at high temperature  
**HAZARDOUS COMBUSTION PRODUCTS** Under fire conditions, hazardous fumes will be present.  
**SUITABLE & UNSUITABLE EXTINGUISHING MEDIA** **Small fire:** dry chemical, CO<sub>2</sub> or water spray. **Large fire:** dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.  
**PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS** Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**
**PERSONAL PRECAUTIONS**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**METHODS & MATERIAL FOR CONTAINMENT**

On land, sweep or shovel into suitable containers.

**CLEANUP PROCEDURE**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

**REFERENCE TO OTHER SECTIONS**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

**SECTION 7: HANDLING AND STORAGE**
**PRECAUTIONS FOR SAFE HANDLING**

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

**CONDITIONS FOR SAFE STORAGE**

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination. If the product freezes, it should be thoroughly mixed after it thaws (just in case it has stratified). To thaw the product, a drum warmer may be used.

**STORAGE CONDITIONS**

Store in original container, tightly sealed, protected from direct sunlight and moisture.

Store preferably at a temperature not exceeding 35°C.

**SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION**

Chemical Name: IODINE CAS #: 7553-56-2

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>				
OSHA	USA	N/L	N/L	0.1	1.1	N/L	N/L	N/A	N/A
ACGIH	USA	0.01 (1)	N/L	0.1 (2)	N/L	N/L	N/L	N/A	(1) Inhalable fraction and vapor (2) Vapors and aerosol
NIOSH	USA	N/L	0.1 (1)	1 (1)	N/L	2	N/L	N/A	(1) Ceiling limit value
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	0.1(1)	1(1)	N/L	N/L	N/A	(1) Ceiling limit value
HSE	UK	N/L	N/L	0.1	1.1	N/L	N/L	N/A	N/A
GESTIS	Austria	0.1	1	0.1	1	N/L	N/L	N/A	N/A

<b>GESTIS</b>	Belgium	0.01(1)	0.1(1)	0.1 (2)(3)	1 (2)(3)	N/L	N/L	N/A	(1) Inhalable fraction and vapour (2) Vapour (3) 15 minutes average value
<b>GESTIS</b>	Canada-Ontario	0.01(1)	N/L	0.1(2)	N/L	N/L	N/L	N/A	(1) Inhalable aerosol and vapour (2) Vapour and aerosol
<b>GESTIS</b>	Canada-Quebec	N/L	N/L	0.1(1)	1.0 (1)	N/L	N/L	N/A	(1) Ceiling limit value
<b>GESTIS</b>	Denmark	0.1	1	0.1(1)	1 (1)	N/L	N/L	N/A	(1) Ceiling limit value
<b>GESTIS</b>	Finland	N/L	N/L	0.1(1)	1.1 (1)	N/L	N/L	N/A	(1) 15 minutes average value
<b>GESTIS</b>	France	N/L	N/L	0.1	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Hungary	N/L	1	N/L	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Ireland	0.01 (1)	N/L	N/L	0.1 (1)(2)	N/L	N/L	N/A	(1) Inhalable fraction and vapour (2) 15 minutes average value
<b>GESTIS</b>	Japan (JSOH)	0.1	1	N/L	N/L	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Latvia	N/L	1	N/L	N/L	N/L	N/L	N/A	N/A
<b>GESTIS</b>	New Zealand	N/L	N/L	0.1 (1)	1 (1)	N/L	N/L	N/A	(1) Ceiling limit value
<b>GESTIS</b>	Norway	N/L	N/L	0.1 (1)	1 (1)	N/L	N/L	N/A	(1) Ceiling limit value
<b>GESTIS</b>	China	N/L	N/L	N/L	1 (1)	N/L	N/L	N/A	(1) Ceiling limit value
<b>GESTIS</b>	Poland	N/L	0.5	N/L	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Romania	0.09	0.5	0.2 (1)	1 (1)	N/L	N/L	N/A	(1) 15 minutes average value
<b>GESTIS</b>	Singapore	N/L	N/L	0.1	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	South Korea	0.01	0.1	0.1	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Spain	N/L	N/L	0.1	1	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Sweden	N/L	N/L	0.1 (1)	1 (1)	N/L	N/L	N/A	(1) 15 minutes average value
<b>GESTIS</b>	Switzerland	0.1	1	0.1	1	N/L	N/L	N/A	N/A

**Chemical Name: POTASSIUM IODIDE CAS #: 7681-11-0**

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>				
<b>OSHA</b>	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>ACGIH</b>	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>NIOSH</b>	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>WEEL</b>	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>HSIS</b>	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>HSE</b>	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
<b>GESTIS</b>	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

**Chemical Name: WATER CAS #: 7732-18-5**

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

**EXPOSURE GUIDELINES**

 Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m<sup>3</sup>.

**PERSONAL PROTECTIVE EQUIPMENT**

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.

**SPECIFIC ENGINEERING CONTROLS**

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

**BIOLOGICAL MONITORING**

Not available

**CONTROL BANDING**

Not available

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**
**PHYSICAL STATE**

Liquid

**DESCRIPTION**

Transparent liquid having a deep brown color and having the odor of iodine.

**SOLUBILITY**

Highly soluble in water

**ODOR**

Odor of iodine

**FLAMMABILITY**

May be combustible at high temperature

**AUTO-IGNITION TEMPERATURE**

Not available

**BOILING POINT**

100 °C, 212 °F

**DECOMPOSITION TEMPERATURE**

Not available

**EVAPORATION RATE**

Not available

**EXPLOSIVE LIMIT**

Not available

**FLASH POINT**

Not available

**log P (OCTANOL-WATER)**

Not available

**LOWER FLAMMABLE/EXPLOSIVE LIMIT(S)**

Not available

**MELTING/FREEZING POINT**

0 °C, 32 °F

**PARTICLE CHARACTERISTICS**

Not available

**OXIDIZING PROPERTY**

Not available

**pH**

8 - 9 (saturated solution)

<b>RELATIVE DENSITY (WATER = 1)</b>	Not available	<b>SPECIFIC GRAVITY</b>	1.05	<b>UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)</b>	Not available
<b>VAPOR DENSITY (AIR = 1)</b>	1	<b>VAPOR PRESSURE</b>	Not available	<b>VISCOSITY</b>	Not available

The physical data presented above are typical values and should not be construed as a specification.

## SECTION 10: STABILITY AND REACTIVITY

<b>REACTIVITY</b>	Not established
<b>CHEMICAL STABILITY</b>	Stable under recommended storage conditions, but will sublime at increasing temperatures.
<b>INCOMPATIBLE MATERIALS</b>	Strong oxidants. Ammonia. Powdered metals. Alkali metals. Strong reducing agents. Reaction can be violent or explosive with acetaldehyde and acetylene.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, potassium oxides, hydrogen iodide and other gases may occur.
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur.
<b>POSSIBILITY OF HAZARDOUS REACTION</b>	Not established
<b>CONDITIONS TO AVOID</b>	Moisture, sunlight and extreme temperatures.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>ACUTE TOXICITY</b>	Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available
<b>SKIN CORROSION/IRRITATION</b>	Based on available data, the classification criteria are not met. Contains IODINE that may cause irritation and skin rash. Contains POTASSIUM IODIDE that may cause skin irritation.
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	Based on available data, the classification criteria are not met. Contains IODINE and POTASSIUM IODIDE, that are irritating to the eye.
<b>RESPIRATORY SENSITIZATION</b>	Due to lack of data the classification is not possible.
<b>SKIN SENSITIZATION</b>	IODINE: Iodine and iodides, whether applied topically or given systematically, can give rise to hypersensitivity reactions, which may include urticaria, angioedema, cutaneous hemorrhage or purpuras, fever, arthralgia, lymphadenopathy, and eosinophilia.
<b>GERM CELL MUTAGENICITY</b>	Due to lack of data the classification is not possible.
<b>CARCINOGENICITY</b>	<b>OSHA</b> IODINE is listed. No component of this product, present at $\geq 0.1\%$ , is listed. <b>NTP</b> No component of this product, present at $\geq 0.1\%$ , is listed. <b>IARC</b> No component of this product, present at $\geq 0.1\%$ has been evaluated. <b>California Proposition 65</b> No component of this product, present at $\geq 0.1\%$ is known to the State of California to cause cancer, birth defects, or any other reproductive harm
<b>ADDITIONAL CARCINOGENICITY INFORMATION</b>	Due to lack of data the classification is not possible.

<b>REPRODUCTIVE TOXICITY</b>	Due to lack of data the classification is not possible.
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	Due to lack of data the classification is not possible.
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	Due to lack of data the classification is not possible.
<b>ASPIRATION HAZARDS</b>	Due to lack of data the classification is not possible.
<b>SIGNS AND SYMPTOMS OF EXPOSURE</b>	<b>ROUTES OF EXPOSURE:</b> Oral, Dermal, Inhalation, Eye contact <b>EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:</b> Not available <b>DELAYED HEALTH EFFECT FROM EXPOSURE:</b> Not available
<b>POTENTIAL HEALTH EFFECTS</b>	<p><b>Inhalation</b>      May be harmful if inhaled. Vapors irritate and can burn the mucous membranes and respiratory tract. Exposure can cause breathing difficulties, headache, tightness of the chest and congestion of the lungs.</p> <p><b>Ingestion</b>      May be harmful if swallowed. Can cause burns of the mouth, throat and stomach. Causes abdominal pain, diarrhea, fever, and vomiting. Iodine is more toxic by the oral route in humans than in experimental animals. Ingestion of 2 to 3 grams of the solid may be fatal in humans.</p> <p><b>Skin</b>              May be harmful if absorbed through skin. May cause skin irritation and result in burns. Liquid contact may cause blistering, irritation and pain. Vapors may be irritating to the skin. Iodine has also been reported to cause skin allergies with rash and itching.</p> <p><b>Eyes</b>              May cause eye irritation. Vapors are irritating and may cause damage to the eyes. Contact may cause burns and eye damage.</p>

## SECTION 12: ECOLOGICAL INFORMATION

<b>ECOTOXICITY</b>	EC50: 48 Hr: Crustacea: (mg/L): Not available LC50: 96 Hr: Fish: (mg/L): Not available EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available
<b>PERSISTENCE AND DEGRADABILITY</b>	Not available
<b>BIOACCUMULATIVE POTENTIAL</b>	Not available
<b>MOBILITY IN SOIL</b>	Highly soluble in water.
<b>OTHER ADVERSE EFFECTS</b>	This substance may be hazardous in the environment; special attention should be given to fish. This product is not intended to be released into the environment

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>DISPOSAL METHODS</b>	Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.
-------------------------	---

## SECTION 14: TRANSPORT INFORMATION

<b>UN PROPER SHIPPING NAME</b>	Not dangerous good
<b>UN NUMBER</b>	Not applicable

**CLASS** Not applicable

**PACKING GROUP** Not applicable

**AUSTRALIA**

**HAZCHEM** Not applicable

**EU**

**TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE** Not listed

**ENVIRONMENTAL HAZARDS** Not available

**SPECIAL SHIPPING INFORMATION** Not applicable

## SECTION 15: REGULATORY INFORMATION

**UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Right-to-know			California Prop 65
			Appendix A	Appendix B	Pennsylvania	New Jersey	Massachusetts	
IODINE, 7553-56-2	N/L	N/L	N/L	N/L	X	X	X	N/L
WATER, 7732-18-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L
POTASSIUM IODIDE, 7681-11-0	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

**AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemicals
IODINE, 7553-56-2	N/L	Listed as Schedule 2	Listed as Category II	Listed	N/L	N/L
WATER, 7732-18-5	N/L	N/L	N/L	N/L	N/L	N/L
POTASSIUM IODIDE, 7681-11-0	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

**EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
IODINE, 7553-56-2	N/L	N/L	N/L	N/L	N/L	N/L	N/L
WATER, 7732-18-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L
POTASSIUM IODIDE, 7681-11-0	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

**SUBJECT TO INTERNATIONAL AGREEMENT** Not applicable



## SECTION 16: OTHER INFORMATION

## REFERENCES

Available upon request

## ABBREVIATIONS AND ACRONYMS

**ACGIH** - American Conference of Governmental Industrial Hygienists; **AIHA WEEL** – American Industrial Hygiene Association Workplace Environment Exposure Levels; **CAESAR** – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; **CAS** – Chemical Abstract Service; **CERCLA** – Comprehensive Environmental Response, Compensation, and Liability Act; **EC50** – Effective Concentration, 50%; **EPA** – Environmental Protection Agency; **GHS** – Global Harmonized System; **HMIS** – Hazardous Materials Information System; **HSE** – Health and Safety Executive; **HSIS** – Hazardous Substances Information System; **IARC** – International Agency for Research on Cancer; **IDLH** - Immediately Dangerous to Life or Health; **IRFMN** – Ready Biodegradability Model; **ISS** – Istituto Superiore Sanità; **LC50** – Lethal Concentration, 50%; **LD50** – Lethal Dose, 50%; **MSHA** - Mine Safety and Health Administration; **NIOSH** – National Institute for Occupational Safety and Health; **NTP** – National Toxicology Program; **OSHA PEL** – Occupational Safety & Health Administration Permissible Exposure Limits; **QSAR** – Quantitative Structure-activity relationship; **REL** - Recommended Exposure Limit; **SARA** – Superfund Amendments and Reauthorization Act; **STEL** – Short Term Exposure Limit; **TLV** – Threshold Limit Value; **TWA** – Time Weighted Average; **WHMIS** – Workplace Hazardous Materials Information System

## LAST REVISION

06/2023

## SUPERSEDES

01/2022

For a list of changes to the SDS since the last version, please communicate with MEDISCA at [www.medisca.com](http://www.medisca.com)

## DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

## SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.