

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME CETYL ALCOHOL, NF

PRODUCT CODE 0618

SUPPLIER MEI

MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

MEDISCA Australia PTY LTD

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION Skin Irritation (Category 2)

Eye Irritation (Category 2B) Acute Toxicity - Oral (Category 5) Acute Toxicity - Dermal (Category 5)

PICTOGRAM

(!)

Not applicable

Warning

SIGNAL WORD

HAZARD STATEMENT(S)

Causes skin irritation.

Causes eye irritation.

May be harmful if swallowed.

May be harmful if in contact with skin.

May cause long lasting harmful effects to aquatic life.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

EFFECTS

PRECAUTIONARY STATEMENT(S) Prevention Wash hands thoroughly after handling. Do not touch eyes.

Wear protective gloves.

Avoid release to the environment.

Last Revision: 02/2023 CETYL ALCOHOL, NF Page 1 of 8



Response IF ON SKIN (HAIR): Wash with plenty of water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help.

IF SWALLOWED: Get medical help. IF ON SKIN: Get medical help.

Storage Not applicable

Disposal Dispose of contents/container to in accordance with local regulation.

HMIS CLASSIFICATION Health Hazard 1 Flammability 1

Reactivity 0 Personal Protection

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME 1-Hexadecanol

BOTANICAL NAME Not applicable

SYNONYM Palmityl alcohol; 1-hexadecyl alcohol

CHEMICAL FORMULA C₁₆H₃₄O

CHEMICAL FAMILY Linear aliphatic derivatives

CAS NUMBER 36653-82-4

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT 242.44

COMPOSITION

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT	
CETYL ALCOHOL	36653-82-4	253-149-0	100	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician

MEDICAL ATTENTION AND SPECIAL Get en

TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

Last Revision: 02/2023 CETYL ALCOHOL, NF Page 2 of 8



SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Not applicable

May be combustible at high temperature

Under fire conditions, hazardous fumes will be present.

Small fire: dry chemical, CO₂ or water spray. Large fire: dry chemical, CO₂, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

METHODS & MATERIAL FOR

CONTAINMENT

On land, sweep or shovel into suitable containers. Minimize generation of dust.

CLEANUP PROCEDURE

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear

respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean

the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash

thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use

appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in

accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid

environmental contamination.

STORAGE CONDITIONS Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: CETYL ALCOHOL CAS #: 36653-82-4

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes	
		ppm mg/m³		ppm	mg/m³					
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	



WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING Not available CONTROL BANDING Not available

NOTES GESTIS: Germany (ACS)

LV (8 Hr)* - 20 ppm; 200 mg/m3 LV (15 Min)* - 20 ppm; 200 mg/m3 *Inhalable aerosol and vapour

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Solid

DESCRIPTION Unctuous, white flakes, granules, cubes, or castings. Has a faint characteristic odor.

SOLUBILITY Insoluble in water; soluble in alcohol and in ether, the solubility increasing with an increase in temperature.

ODOR Faint characteristic odor

FLAMMABILITY May be combustible at high temperature **AUTO-IGNITION** 251°C, 483.8°F **BOILING POINT** > 248.89°C. DECOMPOSITION Not available **TEMPERATURE** 480°F **TEMPERATURE** Not available EXPLOSIVE LIMIT Not available **FLASH POINT** 113°C, 235.4°F **EVAPORATION RATE** C.C. (45-50)°C, 6.7 (20°C) LOWER FLAMMABLE/ MELTING/FREEZING (113-122)°F (OCTANOL-WATER) EXPLOSIVE LIMIT(S) POINT Not available **PARTICLE OXIDIZING PROPERTY** Not available Not available CHARACTERISTICS RELATIVE DENSITY Not available SPECIFIC GRAVITY 0.8187 (50°C) **UPPER FLAMMABLE/** 8 % (WATER = 1)EXPLOSIVE LIMIT(S)



VAPOR DENSITY (AIR = 1) 8.36

VAPOR PRESSURE

< 0.0000001 kPa (30°C) VISCOSITY

Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY Not established

CHEMICAL STABILITY Stable under recommended storage conditions

INCOMPATIBLE MATERIALS Strong oxidizing agents. Strong mineral acids.

HAZARDOUS DECOMPOSITION

PRODUCTS

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

HAZARDOUS POLYMERIZATION Will not occur

POSSIBLITY OF HAZARDOUS

REACTION

Reactive with oxidizing agents, acids.

CONDITIONS TO AVOID Moisture, sunlight and extreme temperatures

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): > 2000

Dermal: Rabbit LD50: (mg/kg): > 2600

Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION Causes skin irritation.

Local effects

100 mg/kg/day, Irritancy test; Result: Irritant; Species: Rabbit; Organ: Skin; Severity: Severe. 0.2%, Irritancy test; Result: Irritant; Species: Human; Organ: Skin; Severity: Severe 75 mg/3D-I, Irritancy test; Result: Irritant; Species: Human; Organ: Skin; Severity: Mild.

SERIOUS EYE DAMAGE/EYE Causes eye irritation.

IRRITATION

Local effects

82 mg/kg Irritancy test; Result: Irritant.; Species: Rabbit; Organ: Eye; Severity: Mild.

RESPIRATORY SENSITIZATIONDue to lack of data the classification is not possible.

SKIN SENSITIZATION Based on available data, the classification criteria are not met.

Maximization test; Result: Non-sensitizing.; Species: Guinea pig Maximization test; Result: Non-sensitizing.; Species: Human Hypersensitivity reactions have occasionally occurred.

GERM CELL MUTAGENICITY Based on available data, the classification criteria are not met.

CARCINOGENICITY OSHA CETYL ALCOHOL is not listed.

NTP CETYL ALCOHOL is not listed.

IARC CETYL ALCOHOL is not evaluated.

California This product does not contain any chemicals known to the State of California to cause

Proposition 65 cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Due to lack of data the classification is not possible.

REPRODUCTIVE TOXICITY

Due to lack of data the classification is not possible.

Last Revision: 02/2023 CETYL ALCOHOL, NF Page 5 of 8



SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Due to lack of data the classification is not possible.

SPECIFIC TARGET ORGAN TOXICITY -

Due to lack of data the classification is not possible.

REPEATED EXPOSURE ASPIRATION HAZARDS

Based on available data, the classification criteria are not met.

SIGNS AND SYMPTOMS OF

ROUTES OF EXPOSURE: Oral, Dermal, Inhalation, Eyes

EXPOSURE

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Symptoms related to the physical, chemical, and toxicological characteristics:

Diarrhea. Nausea. Vomiting.

May affect cardiovascular system, respiration and behaviour/central nervous system (tremor, ataxia).

Hypersensitivity reactions have occasionally occurred.

POTENTIAL HEALTH EFFECTS Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed. If ingested, may cause hypermotility and diarrhoea.

Skin May be harmful if absorbed through skin. Causes skin irritation. Skin inflammation is

characterized by itching, scaling, reddening, or occasionally, blistering.

Eyes Causes eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY EC50: 48 Hr: Crustacea: (mg/L): Not available

LC50: 96 Hr: Fish: (mg/L): Not available

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY Possibly hazardous short term degradation products are not likely. However, long term degradation products

may arise.

BIOACCUMULATIVE POTENTIAL High: Log Pow: 6.7 (20°C)

MOBILITY IN SOIL

Insoluble in water

OTHER ADVERSE EFFECTS May cause long lasting harmful effects to aquatic life.

This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME

Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable
PACKING GROUP Not applicable

Last Revision: 02/2023 CETYL ALCOHOL, NF Page 6 of 8



AUSTRALIA

HAZCHEM Not Applicable

<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not listed

IBC CODE

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355 Appendix A Appendix B		Pennsylvania	Right-to-know New Jersey		California Prop 65
CETYL ALCOHOL 36653-82-4	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
CETYL ALCOHOL 36653-82-4	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
CETYL ALCOHOL 36653-82-4	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

AGREEMENT

SECTION 16: OTHER INFORMATION

REFERENCES Available upon request



ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System

LAST REVISION SUPERSEDES 02/2023

11/2022

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.