

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	SODIUM BICARBONATE, USP
PRODUCT CODE	0640
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670
RECOMMENDED USES	Manufacturing and Compounding
RESTRICTIONS ON USE	

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION	Acute Toxicity - Oral (Category 5) Eye Irritation (Category 2B)							
PICTOGRAM	Not Applicable							
SIGNAL WORD	Warning							
HAZARD STATEMENT(S)	May be harmful if swallowed. Causes eye irritation.							
ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS	Repeated exposure may cause skin dryness or cracking.							
PRECAUTIONARY STATEMENT(S)	Prevention	Wash thoroughly after handling.						
	Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact present and easy to do. Continue rinsing. If eye irritation persists: Get medicated advice/attention.						
	Storage	Not applicable						
	Disposal	Not app	olicable					
HMIS CLASSIFICATION	Health Hazard		1		Flammability	0		
	Reactivity		0		Personal Protection	В		



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Carbonic acid monosodium salt	Carbonic acid monosodium salt				
BOTANICAL NAME	Not applicable	Not applicable				
SYNONYM	Monosodium carbonate; Baking Soda; Bio	Monosodium carbonate; Baking Soda; Bicarbonate of Soda				
CHEMICAL FORMULA	NaHCO ₃					
CHEMICAL FAMILY						
CAS NUMBER	144-55-8	144-55-8				
ALTERNATE CAS NUMBER	Not applicable	Not applicable				
MOLECULAR WEIGHT	84.0059					
COMPOSITION	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT		
	SODIUM BICARBONATE	144-55-8	205-633-8	100		
There are no additional ingredients present which, within the current knowledge of the supplier and in				oplier and in the		

concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers. Minimize generation of dust.
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.
REFERENCE TO OTHER SECTIONS	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
CONDITIONS FOR SAFE STORAGE	Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
STORAGE CONDITIONS	Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: SODIUM BICARBONATE CAS #: 144-55-8

	Country	Limit valu	le-8 hours	Limit value-	Short Term	IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Latvia	N/L	5	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³



PERSONAL PROTECTIVE EQUIPMENT	Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or O eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appr gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing thermal hazard, appropriate Personal Protective Equipment should be used.				
SPECIFIC ENGINEERING CONTROLS	Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.				
BIOLOGICAL MONITORING	Not available				
CONTROL BANDING	Not available				
NOTES	OEL TWA: 10 mg/m ³ (total dust) 10 mg/m ³ (inhalable particles, recommended) 5 mg/m ³ (respirable mass) 10 mg/m ³ (inhalable)				

*GESTIS Latvia - LV: (8 Hr) 5 mg/m³

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid	Solid					
DESCRIPTION	White, crystalline powder	White, crystalline powder. Is stable in dry air, but slowly decomposes in moist air.					
SOLUBILITY	Soluble in water; insoluble	e in alcohol.					
ODOR	Odorless						
FLAMMABILITY	May be combustible at hi	gh temperature					
AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	50 °C, 122 °F		
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available		
log P (OCTANOL-WATER)	-4.010	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	(50-60)°C, (122-140)°F		
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	8.5 (1%)		
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.19-2.22 (25°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available		
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	< 0.0000001 kPa (25°C)	VISCOSITY	Not available		

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY



REACTIVITY	Not established
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Strong oxidants. Acids. Water. Lime. Monoammonium phosphate. Sodium-potassium alloy. Acids.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBLITY OF HAZARDOUS REACTION	Not established

CONDITIONS TO AVOID

Exposure to moisture or moist air. Temperatures above 122°F (50 °C).

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): > 4000 Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): > 4.7				
SKIN CORROSION/IRRITATION	Based on available data, the classification criteria are not met. Rabbit: Skin irritation; Result: Slight.				
SERIOUS EYE DAMAGE/EYE IRRITATION	Causes eye irritation. Rabbit: Eye irritation; Result: Mild.				
RESPIRATORY SENSITIZATION	Due to lack of da	ta the classification is not possible.			
SKIN SENSITIZATION	Due to lack of dat	ta the classification is not possible.			
GERM CELL MUTAGENICITY	Due to lack of da	ta the classification is not possible.			
CARCINOGENICITY	OSHA	SODIUM BICARBONATE is not listed.			
	NTP	SODIUM BICARBONATE is not listed.			
	IARC	SODIUM BICARBONATE is not evaluated.			
	California Proposition 65	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.			
ADDITIONAL CARCINOGENICITY	Due to lack of data the classification is not possible.				
REPRODUCTIVE TOXICITY	Based on available data, the classification criteria are not met.				
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of data the classification is not possible.				
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Due to lack of data the classification is not possible.				
ASPIRATION HAZARDS	Based on availab	ble data, the classification criteria are not met.			
SIGNS AND SYMPTOMS OF EXPOSURE	ROUTES OF EXPOSURE:				
	EARLY ONSET	SYMPTOMS RELATED TO EXPOSURE:			
	DELAYED HEALTH EFFECT FROM EXPOSURE:				
POTENTIAL HEALTH EFFECTS	Inhalation	May be harmful if inhaled. May cause respiratory tract irritation. Slight irritation of nose, sneezing.			



Ingestion	The material is practically non-toxic. Oral bicarbonate, such as sodium bicarbonate, neutralises gastric acid with the production of carbon dioxide. Bicarbonate not involved in that reaction is absorbed and in the absence of a deficit of bicarbonate in the plasma, bicarbonate ions are excreted in the urine, which is rendered alkaline, and there is an accompanying diuresis. Ingestion of small amounts (1-2 tablespoons) are not likely to cause injury as long as the stomach is not overly full; may cause stomach cramps, betching and flatulence. Ingestion of larger amounts may cause injury, refer to section Signs And Symptoms Of Exposure
Skin	May cause skin irritation. Skin contact with large amounts of dust may cause mechanical irritation.
Eyes	Causes eye irritation. Contact may cause irritation due to mechanical abrasion.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	,
-------------	---

MOBILITY IN SOIL

PERSISTENCE AND DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

OTHER ADVERSE EFFECTS

EC50: 48 Hr: Crustacea: (mg/L): 2350 LC50: 96 Hr: Fish: Gambusia affinis: (mg/L): 7550 EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available Not available Weak: Log Pow: -4.010 Water Solubility: 1.00E+05 mg/L (25°C) Not available This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
HAZCHEM	Not applicable
EU TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not Listed
ENVIRONMENTAL HAZARDS	Not available
SPECIAL SHIPPING INFORMATION	Not applicable



SECTION 15: REGULATORY INFORMATION

ι	UNITED STATES REGULATIONS								
	Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	FR Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
	SODIUM BICARBONATE 144-55-8	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
SODIUM BICARBONATE 144-55-8	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
SODIUM BICARBONATE 144-55-8	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL Not applicable

AGREEMENT

SECTION 16: OTHER INFORMATION

REFERENCES

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL -Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System

LAST REVISION

11/2022



SUPERSEDES	07/2019
	For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com
DISCLAIMER	This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.
SUPPLEMENTARY INFORMATION	For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.