

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME MAGNESIUM CHLORIDE, USP (Hexahydrate)

PRODUCT CODE 0802

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

MEDISCA Australia PTY LTD

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION Acute Oral Toxicity (Category 5)

Acute Aquatic Toxicity (Category 3)

PICTOGRAM Not Applicable
SIGNAL WORD Not applicable

HAZARD STATEMENT(S)

May be harmful if swallowed Harmful to aquatic life.

ADVERSE PHYSIOCHEMICAL, HUMAN Not applicable

HEALTH AND ENVIRONMENTAL

EFFECTS

PRECAUTIONARY STATEMENT(S) Prevention Avoid release to the environment.

Response IF SWALLOWED: Get medical help.

Storage Not applicable

Disposal Dispose of contents and/or container in accordance with local regulations.

HMIS CLASSIFICATION Health Hazard 1 Flammability 0

Reactivity 0 Personal Protection B

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



CHEMICAL NAME Magnesium Chloride hexahydrate

BOTANICAL NAME Not applicable

SYNONYM Magnesium chloride, 6-hydrate.

CHEMICAL FORMULA

CHEMICAL FAMILY

CAS NUMBER

ALTERNATE CAS NUMBER

MgCl_{2.6}H₂O

Inorganic salt

7791-18-6

Not applicable

MOLECULAR WEIGHT 203.3

COMPOSITION CHEMICAL NAME CAS NUMBER EC NUMBER % BY WEIGHT

MAGNESIUM CHLORIDE (Hexahydrate) 7791-18-6 616-575-1 100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

NOTES Equivalence:

Each g of magnesium chloride (hexahydrate) represents about 4.9 mmol of magnesium and 9.8 mmol of chloride. Magnesium chloride (hexahydrate) 8.36 g is equivalent to about 1 g of magnesium.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT

Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician.

MEDICAL ATTENTION AND SPECIAL

TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

Not applicable

FLAMMABLE PROPERTIES

May be combustible at high temperature

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions, hazardous fumes will be present.

At temperatures over 135 $^{\circ}\text{C}$ decomposition occurs with the release of gaseous hydrogen chloride. At

temperatures over 300 °C decomposition occurs with the release of chlorine

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

Last Revision: 03/2023

Small fire: dry chemical, CO₂ or water spray. **Large fire:** dry chemical, CO₂, alcohol resistant foam or water spray. Do not get water inside containers.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

METHODS & MATERIAL FOR

CONTAINMENT

On land, sweep or shovel into suitable containers. Minimize generation of dust.

CLEANUP PROCEDURE

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean

the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash

thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use

appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in

accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid

environmental contamination.

STORAGE CONDITIONS Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: MAGNESIUM CHLORIDE (Hexahydrate) CAS #: 7791-18-6

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINESConsult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m³



PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Solid

DESCRIPTION Colorless to white, odorless, hygroscopic, flakes, crystals or crystalline powder.

SOLUBILITY Very soluble in water; freely soluble in alcohol.

ODOR Odorless

FLAMMABILITY May be combustible at high temperature

AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	160 °C, 320 °F	DECOMPOSITION TEMPERATURE	118 °C, 244,4 °F
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	118 °C, 244,4 °F (decomposes)
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	5.5 - 7.0 (5 %) (20 °C)
RELATIVE DENSITY	1,57 g/cm3	SPECIFIC GRAVITY	1.57	UPPER FLAMMABLE/	Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

VAPOR PRESSURE

REACTIVITY Not established

Not available

CHEMICAL STABILITY Stable under recommended storage conditions.

INCOMPATIBLE MATERIALS Strong oxidants

HAZARDOUS DECOMPOSITION

PRODUCTS

(WATER = 1)

(AIR = 1)

VAPOR DENSITY

When heated to decomposition, it emits corrosive hydrochloric acid vapor. When heated to

< 0.0000001 kPa

(25 °C)

temperatures above 300°C (572°F) it emits toxic fumes of chlorine gas. Toxic fumes of carbon monoxide,

EXPLOSIVE LIMIT(S)

VISCOSITY

carbon dioxide, nitrogen oxides and other gases may occur.

Not available



HAZARDOUS POLYMERIZATION

POSSIBLITY OF HAZARDOUS

REACTION

CONDITIONS TO AVOID

Will not occur

Not established

Moisture, sunlight and extreme temperatures. Incompatibles: Furan-2-peroxycarboxylic acid.

Hygroscopic - Avoid exposure to moisture.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): 2800 - 8100

Dermal: Rabbit: LD50: (mg/kg): > 2000

Inhalation: Rat: LC50: (mg /L/4hr): Not available

SKIN CORROSION/IRRITATION Based on available data, the classification criteria are not met.

SERIOUS EYE DAMAGE/EYE

IRRITATION

Based on available data, the classification criteria are not met.

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

SKIN SENSITIZATION Based on available data, the classification criteria are not met

Guinea pig maximization test; Result: Non-sensitizing.

GERM CELL MUTAGENICITY Based on available data classification is not possible.

Investigated as mutagen.

CARCINOGENICITY **OSHA** MAGNESIUM CHLORIDE is not listed.

> **NTP** MAGNESIUM CHLORIDE is not listed.

IARC MAGNESIUM CHLORIDE is not evaluated.

California This product does not contain any chemicals known to the State of California to cause

Proposition 65 cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Based on available data, the classification criteria are not met

REPRODUCTIVE TOXICITY

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

REPEATED EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY -

ASPIRATION HAZARDS

SIGNS AND SYMPTOMS OF

EXPOSURE

Based on available data, the classification criteria are not met

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

Based on available data, the classification criteria are not met

ROUTES OF EXPOSURE:

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Hypermagnesaemia may cause nausea, vomiting, diarrhea, flushing of the skin, thirst, hypotension, drowsiness, confusion, slurred speech, double vision, muscle weakness, bradycardia, coma, cardiacarrest. Inhalation of fumes may cause metal fume fever characterized by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count. May cause kidney damage.

POTENTIAL HEALTH EFFECTS

Inhalation

May be harmful if inhaled. May cause irritation to mucous membranes and respiratory tract.



Ingestion Since magnesium salts are slowly absorbed, abdominal pain, vomiting and diarrhea may be

the only symptoms. However, if elimination is blocked by bowel blockage or other reasons, CNS depression, lack of reflexes, hypocalcemia (deficiency of calcium in the blood) may

occur.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY EC50: 48 Hr: Crustacea:Daphnia magna: (mg/L): 548.4

LC50: 96 Hr: Fish:Pimephales promelas: (mg/L): 2120

EC50: 72 Hr: Algae: (mg/L): > 100

PERSISTENCE AND DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

Not available

Not available

MOBILITY IN SOIL

Soluble in water 164 g/100 ml (20°C)

OTHER ADVERSE EFFECTS

Not available

This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable

PACKING GROUP Not applicable

<u>AUSTRALIA</u>

HAZCHEM Not Applicable

<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Last Revision: 03/2023



Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Right-to-know Pennsylvania New Jersey Massachusetts			California Prop 65
MAGNESIUM CHLORIDE (Hexahydrate) 7791-18-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
MAGNESIUM CHLORIDE (Hexahydrate) 7791-18-6	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
MAGNESIUM CHLORIDE (Hexahydrate) 7791-18-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

AGREEMENT

Not applicable

SECTION 16: OTHER INFORMATION

REFERENCES

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

 LAST REVISION
 03/2023

 SUPERSEDES
 08/2021

For a list of changes to the SDS since the last version, please communicate with MEDISCA at $\underline{www.medisca.com}$



DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.