

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	BENZYL ALCOHOL, NF	
PRODUCT CODE	1029	
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020	
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670	
RECOMMENDED USES	Manufacturing and Compounding	
RESTRICTIONS ON USE	Not applicable	

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Acute Toxicity - Oral (Category 4) Acute Toxicity - Dermal (Category 4) Skin Irritation (Category 2) Eye Irritation (Category 2A) Sensitization - Skin (Category 1) Aspiration Hazard (Category 1) Acute Aquatic Toxicity (Category 3)

PICTOGRAM

SIGNAL WORD HAZARD STATEMENT(S)

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS

Danger

Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Harmful to aquatic life. Not Applicable.

Last Revision: 01/2023



PRECAUTIONARY STATEMENT(S)	Prevention	Wash thoroughly after handling. Do not touch eyes. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing. Wear eye and face protection. Avoid breathing dust, fume, gas, mist, vapors, and spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release into the environment				
	Response	 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical help advice/attention. Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Immediately call a poison center or medical professional. Get emergency medical help immediately. Do NOT induce vomiting. 				
	Storage	Store locked up.				
HMIS CLASSIFICATION	Disposal	Dispose of contents and/or container in accordance with local regulations.				
	Health Hazard	2 Flammability 1				
	Reactivity	0 Personal Protection H				

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Benzenemethanol								
BOTANICAL NAME	Not applicable								
SYNONYM	(Hydroxymethyl)benzene Phenylmethanol								
CHEMICAL FORMULA	C7H8O								
CHEMICAL FAMILY	Aromatic alcohol								
CAS NUMBER	100-51-6								
ALTERNATE CAS NUMBER	Not applicable								
MOLECULAR WEIGHT	108.14								
COMPOSITION	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT					
	BENZYL ALCOHOL	100-51-6	202-859-9	100					

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.					
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.					
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.					
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.					
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.					
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.					



SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers. Minimize generation of dust.
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.
REFERENCE TO OTHER SECTIONS	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
CONDITIONS FOR SAFE STORAGE	Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
STORAGE CONDITIONS	Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: BENZYL ALCOHOL CAS #: 100-51-6

		Country	Limit value-8 hours		rs Limit value-Short Term		IDLH	REL	Advisory	Notes
			ppm	mg/m³	ppm	mg/m³				
0	SHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
A	CGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A



NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Finland	10	45	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Germany (AGS)	5	22	10	44	N/L	N/L	N/A	N/A
GESTIS	Germany (DFG)	5	22	10	44	N/L	N/L	N/A	N/A
GESTIS	Latvia	N/L	5	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Switzerland	5	22	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES	Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m ³ .					
PERSONAL PROTECTIVE EQUIPMENT	Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.					
SPECIFIC ENGINEERING CONTROLS	Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.					
BIOLOGICAL MONITORING	Not available					
CONTROL BANDING	Not available					
NOTES	USP: ELV: Industrial: TWA 44 mg/m³; 10 ppm					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid									
DESCRIPTION	Clear, colorless, oily liquid. Is hygroscopic.									
SOLUBILITY	Sparingly soluble in water	; freely soluble in 50% alcohol. Mi	scible with alcohol, wit	h ether, and with chloroform.						
ODOR	Faint, aromatic odor									
FLAMMABILITY	May be combustible at hig	h temperature								
AUTO-IGNITION TEMPERATURE	436 °C, 816.8 °F	BOILING POINT	205.3 °C, 401.54 °F	DECOMPOSITION TEMPERATURE	Not available					
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	>93 °C, >199.4 °F (Closed Cup)					
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	-15.3 °C, 4.46 °F					
PARTICLE CHARACTERISTICS	5.5ppm	OXIDIZING PROPERTY	Not available	pH	Not available					



RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.0419 (20°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	3.72	VAPOR PRESSURE	0.01253 kPa (25°C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established						
CHEMICAL STABILITY	Stable under rec	Stable under recommended storage conditions					
NCOMPATIBLE MATERIALS	Strong oxidants.	Strong oxidants. Strong acids					
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of ca	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur					
AZARDOUS POLYMERIZATION	Will not occur						
POSSIBLITY OF HAZARDOUS REACTION	Not established						
CONDITIONS TO AVOID	Moisture, sunligh	nt and extreme temperatures					
	SECTION 11: 7	TOXICOLOGICAL INFORMATION					
ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): 1230 - 3100 Dermal: Rabbit LD50: (mg/kg): 2000 Inhalation: Rat: LC50: (mg/L/4hr): Not available						
KIN CORROSION/IRRITATION	Skin - rabbit - Irri	Skin - rabbit - Irritating to skin 24 h					
SERIOUS EYE DAMAGE/EYE RRITATION	Causes serious eye irritation. Eye irritancy test Result: Severe irritation. Species: Rabbit						
RESPIRATORY SENSITIZATION	Due to lack of data the classification is not possible.						
SKIN SENSITIZATION	Draize test. Resu Freunds Complet Maximization test Open Epicutaneo	ergic skin reaction. It: Negative. Species: Guinea pig te Adjuvant test. Result: Positive. Species: Guinea pig t. Result: Negative. Species: Guinea pig pus test. Result: Positive. Species: Guinea pig t: 1% incidence of sensitization. Species: Human					
GERM CELL MUTAGENICITY		Due to lack of data the classification is not possible.					
ARCINOGENICITY	OSHA	BENZYL ALCOHOL is not listed.					
	NTP	BENZYL ALCOHOL is not listed.					
	IARC	BENZYL ALCOHOL is not evaluated.					
	California Proposition 65	This product does not contain any chemicals known to the State of California to cause					

Proposition 65cancer, birth defects, or any other reproductive harm.Based on available data, the classification criteria are not met.

ADDITIONAL CARCINOGENICITY INFORMATION

BENZYL ALCOHOL, NF



REPRODUCTIVE TOXICITY	Based on availab	ble data, the classification criteria are not met.				
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Based on availab	Based on available data, the classification criteria are not met.				
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Based on availab	Based on available data, the classification criteria are not met.				
ASPIRATION HAZARDS	May be fatal if sv	vallowed and enters airways.				
SIGNS AND SYMPTOMS OF EXPOSURE	ROUTES OF EXPOSURE: Oral, Dermal EARLY ONSET SYMPTOMS RELATED TO EXPOSURE: Not available DELAYED HEALTH EFFECT FROM EXPOSURE: Central nervous system depression. Respiratory failure. High blood pressure. Symptoms related to the physical, chemical, and toxicological characteristics Irritant effects. Nausea. Vomiting. Diarrhea. Headache. Dizziness. Drowsiness. Convulsions.					
POTENTIAL HEALTH EFFECTS	Inhalation	May be fatal if inhaled. May cause respiratory tract irritation.				
	Ingestion	Harmful if swallowed.				
	Skin	Harmful if absorbed through skin. Causes skin irritation. May cause an allergic skin reaction				
	Eyes	Causes serious eye irritation.				

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): 55 LC50: 96 Hr: Fish: (mg/L): 10 EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available			
PERSISTENCE AND DEGRADABILITY	Readily biodegradable.			
BIOACCUMULATIVE POTENTIAL	Not available			
MOBILITY IN SOIL	Sparingly soluble in water			
OTHER ADVERSE EFFECTS	Not available			
	This product is not intended to be released into the environment			

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
HAZCHEM	Not Applicable



<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not Listed

ENVIRONMENTAL HAZARDS SPECIAL SHIPPING INFORMATION Not available Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Right-to-know Pennsylvania New Jersey Massachusetts			California Prop 65
BENZYL ALCOHOL 100-51-6	N/L	N/L	N/L	N/L	Х	N/L	X	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
BENZYL ALCOHOL 100-51-6	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
BENZYL ALCOHOL 100-51-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

DNAL

AGREEMENT

SECTION 16: OTHER INFORMATION

REFERENCES

Available upon request

Not applicable

Medisca[®]

SAFETY DATA SHEET

ABBREVIATIONS AND ACRONYMS	ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System
LAST REVISION	01/2023
SUPERSEDES	02/2020
	For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com
DISCLAIMER	This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.
SUPPLEMENTARY INFORMATION	For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.