

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	BISMUTH SUBGALLATE, USP	
PRODUCT CODE	1046	
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020	
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670	
RECOMMENDED USES	Manufacturing and Compounding	
RESTRICTIONS ON USE	Not applicable	

SECTION 2: HAZARDS IDENTIFICATION

Sensitization - Skin (Category 1) Sensitization - Respiratory (Category 1)

GHS CLASSIFICATION

PICTOGRAM

 SIGNAL WORD
 Danger

 HAZARD STATEMENT(S)
 May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

 ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS
 Not Applicable

 PRECAUTIONARY STATEMENT(S)
 Prevention

 Avoid breathing dust, fume, gas, mist, vapors, and spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. In case of inadequate ventilation wear respiratory protection.



	Response	advice/ IF SKIN contam IF INH/ breathi center	/attention. Take of N IRRITATION OF ninated clothing be ALED: If breathing	e/attention. Wash and keep comfortable for elp immediately call a poison			
	Storage	Not applicable					
	Disposal	Dispos	e of contents and	or container in accordance with local r	egulations.		
HMIS CLASSIFICATION	Health Hazard		1	Flammability	0		
	Reactivity		0	Personal Protection	Е		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	2,7-dihydroxy-1,3,2-benzodioxabismole-5-c	arboxylic acid		
BOTANICAL NAME	Not applicable			
SYNONYM	Basic bismuth gallate; Bismuth dihydroxy(3)	4,5-trihydroxybenzoate)		
CHEMICAL FORMULA	C7H₅BiO6			
CHEMICAL FAMILY	Bismuth salt			
CAS NUMBER	99-26-3			
ALTERNATE CAS NUMBER	22650-86-8;			
MOLECULAR WEIGHT	394.091			
COMPOSITION	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
	BISMUTH SUBGALLATE	99-26-3	202-742-2	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

	SECTION 4: FIRST-AID MEASURES
IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES



SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable
FLAMMABLE PROPERTIES	May be combustible at high temperature
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.						
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers. Minimize generation of dust.						
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.						
REFERENCE TO OTHER SECTIONS	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.						

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
CONDITIONS FOR SAFE STORAGE	Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
STORAGE CONDITIONS	Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical	Chemical Name: BISMUTH SUBGALLATE CAS #: 99-26-3								
	Country	Limit valu	ie-8 hours	Limit value-	Short Term	IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A



WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³

PERSONAL PROTECTIVE EQUIPMENT	Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.
SPECIFIC ENGINEERING CONTROLS	Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.
BIOLOGICAL MONITORING	Not available
CONTROL BANDING	Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid	Solid								
DESCRIPTION	Amorphous, bright yellow powder. Is odorless. Is stable in air, but affected by light.									
SOLUBILITY	Practically of alkali hy		ter, in alcohol, in chloroform, and in	ether; insoluble in v	ery dilute mineral acids: readily diss	olved by solutions				
ODOR	Odorless									
FLAMMABILITY	May be co	ombustible at hig	h temperature							
AUTO-IGNITION TEMPERATURE	Not	t available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	Not available				
EVAPORATION RATE	Not	t available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available				
log P (OCTANOL-WATER)	Not	t available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	Not available				
PARTICLE CHARACTERISTICS	Not	t available	OXIDIZING PROPERTY	Not available	рH	Not available				
RELATIVE DENSITY (WATER = 1)	Not	t available	SPECIFIC GRAVITY	1.1	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available				

PELs are 8-hour TWAs = Limit value - Eight hours



VAPOR DENSITY (AIR = 1) Not available

VAPOR PRESSURE

< 0.0000001 kPa (25°C) VISCOSITY

Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Strong oxidants. Strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBLITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available				
SKIN CORROSION/IRRITATION	Due to lack of da	Due to lack of data the classification is not possible.			
SERIOUS EYE DAMAGE/EYE IRRITATION	Due to lack of da	Due to lack of data the classification is not possible.			
RESPIRATORY SENSITIZATION	May cause allerg	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
SKIN SENSITIZATION	May cause an all	May cause an allergic skin reaction			
GERM CELL MUTAGENICITY	Due to lack of da	Due to lack of data the classification is not possible.			
CARCINOGENICITY	OSHA	BISMUTH SUBGALLATE is not listed.			
	NTP	BISMUTH SUBGALLATE is not listed.			
	IARC	BISMUTH SUBGALLATE is not evaluated.			
	California Proposition 65	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.			
ADDITIONAL CARCINOGENICITY	Based on available data, the classification criteria are not met.				
REPRODUCTIVE TOXICITY	Due to lack of da	Due to lack of data the classification is not possible.			
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of data the classification is not possible.				
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Due to lack of data the classification is not possible.				
ASPIRATION HAZARDS	Due to lack of da	ata the classification is not possible.			



SIGNS AND SYMPTOMS OF EXPOSURE	ROUTES OF EXPOSURE: Oral, Dermal, Inhalation, Eye contact EARLY ONSET SYMPTOMS RELATED TO EXPOSURE: Not available DELAYED HEALTH EFFECT FROM EXPOSURE: Not available Symptoms related to the physical, chemical, and toxicological characteristics:			
	Gastrointestina	I disturbances. Blue line on gums. Sores, ulcers or white spots on lips or in mouth. Bad breath. e. Liver damage. Confusion. Agitation. Shuffling walk.		
POTENTIAL HEALTH EFFECTS	Inhalation	May be harmful if inhaled. May cause respiratory tract irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
	Ingestion	May be harmful if swallowed.		
	Skin	May be harmful if absorbed through skin. May cause skin irritation. May cause an allergic skin reaction.		
	Eyes	May cause eye irritation.		

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	EC50: 48 Hr: Crustacea: (mg/L): Not available LC50: 96 Hr: Fish: (mg/L): Not available EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available					
PERSISTENCE AND DEGRADABILITY	Not available					
BIOACCUMULATIVE POTENTIAL	Not available					
MOBILITY IN SOIL	Practically insoluble in water					
OTHER ADVERSE EFFECTS	Not available					
	This product is not intended to be released into the environment					

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
HAZCHEM	Not applicable

<u>EU</u>



TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not listed

ENVIRONMENTAL HAZARDS SPECIAL SHIPPING INFORMATION Not available Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
BISMUTH SUBGALLATE, 99-26-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
BISMUTH SUBGALLATE, 99-26-3	N/L	Listed as Schedule 4*	N/L	Listed*	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
BISMUTH SUBGALLATE, 99-26-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL AGREEMENT

*Bismuth compounds are listed

Not applicable

SECTION 16: OTHER INFORMATION

REFERENCES

NOTES

Available upon request



ABBREVIATIONS AND ACRONYMS	ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System
LAST REVISION	02/2023
SUPERSEDES	07/2021
	For a list of changes to the SDS since the last version, please communicate with MEDISCA at <u>www.medisca.com</u>
DISCLAIMER	This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.
SUPPLEMENTARY INFORMATION	For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.