

### **SECTION 1: PRODUCT IDENTIFICATION**

**HYDROGEL** PRODUCT NAME

PRODUCT CODE 2298

**SUPPLIER** MEDISCA Inc.

> Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

**EMERGENCY PHONE** CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

**RECOMMENDED USES** Manufacturing and Compounding

**RESTRICTIONS ON USE** Not applicable

## **SECTION 2: HAZARDS IDENTIFICATION**

**GHS CLASSIFICATION** Based on available data, the classification criteria are not met.

Not applicable

**PICTOGRAM** Not Applicable SIGNAL WORD Not applicable **HAZARD STATEMENT(S)** Not applicable

ADVERSE PHYSIOCHEMICAL, HUMAN **HEALTH AND ENVIRONMENTAL** 

**EFFECTS** 

PRECAUTIONARY STATEMENT(S) Prevention Not applicable

Response Not applicable Not applicable Storage Disposal Not applicable

**HMIS CLASSIFICATION Health Hazard** 0 Flammability

> Personal Protection Reactivity

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**



CHEMICAL NAME Not applicable

BOTANICAL NAME Not applicable

SYNONYM Not applicable

CHEMICAL FORMULA Not applicable

CHEMICAL FAMILY

Not applicable

CAS NUMBER Not applicable

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT Not applicable

 COMPOSITION
 CHEMICAL NAME
 CAS NUMBER
 EC NUMBER
 % BY WEIGHT

 PROPYLENE GLYCOL
 57-55-6
 200-338-0
 \*Proprietary

 SODIUM HYDROXIDE
 1310-73-2
 215-185-5
 \*Proprietary

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

NOTES \*Proprietary: Ingredients indicated as hazardous have been assessed under standards for workplace safety. In

accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as

trade secret.

Non-scented silicone-in-water microemulsion with rapid absorption properties.

## **SECTION 4: FIRST-AID MEASURES**

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT

Not expected to be a hazard under normal use. Wash with soap and water if irritation occurs. Seek medical

attention if irritation develops and persists.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Not expected to be a hazard under normal use. Remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Call a physician

MEDICAL ATTENTION AND SPECIAL

TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

#### **SECTION 5: FIREFIGHTING MEASURES**

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

THE CHEMICAL

Not applicable

FLAMMABLE PROPERTIES

May be combustible at high temperature.

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions, hazardous fumes will be present.

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

**Small fire:** dry chemical, CO<sub>2</sub> or water spray. **Large fire:** dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Last Revision: 04/2023 HYDROGEL Page 2 of 8



#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate

personnel to safe areas.

METHODS & MATERIAL FOR

CONTAINMENT

**CLEANUP PROCEDURE** 

On land, sweep or shovel into suitable containers.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean

the affected area. Do not flush into sewerage system or to drains.

**REFERENCE TO OTHER SECTIONS**See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash

thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use

appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in

accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid

environmental contamination.

STORAGE CONDITIONS Store in original container, tightly sealed, protected from direct sunlight and moisture.

Store at controlled room temperature. Controlled room temperature indicates a temperature 20° to 25°C (68° to 77°F); that results in a mean kinetic temperature calculated to be not more than 25°C; and that allows for excursions between 15° and 30°C (59° and 86°F) that are experienced in pharmacies, hospitals, and warehouses. Provided the mean kinetic temperature remains in the allowed range, transient spikes up to 40°C (100°F) are permitted as long as they do not exceed 34 hours.

(104°F) are permitted as long as they do not exceed 24 hours.

### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: Not applicable 1 CAS #: Not applicable

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A



Chemical Name: Not applicable 2 CAS #: Not applicable

	Country	Country Limit value-8 hours		Limit value-	Limit value-Short Term		REL	Advisory	Notes	
		ppm	mg/m³	ppm	mg/m³					
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

**EXPOSURE GUIDELINES**Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

Not needed for normal use. Operate according to good working practices.

SPECIFIC ENGINEERING CONTROLS

BIOLOGICAL MONITORING Not available

CONTROL BANDING

Not available

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Solid

**DESCRIPTION** Viscous, translucent gel with light odor.

**SOLUBILITY** Very slightly soluble in cold water.

ODOR Light odor

FLAMMABILITY May be combustible at high temperature

AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	Not available
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	Not available
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	pH	4.5 - 6.5



RELATIVE DENSITY

(WATER = 1)

Not available

SPECIFIC GRAVITY

0.9 - 1.030

**UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)** 

Not available

**VAPOR DENSITY** 

(AIR = 1)

Not available

**VAPOR PRESSURE** 

Not available

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur.

VISCOSITY

110 000 - 140 000 cps

The physical data presented above are typical values and should not be construed as a specification.

**NOTES** 

The physical data presented above are typical values and should not be construed as a specification.

#### SECTION 10: STABILITY AND REACTIVITY

REACTIVITY Not established

**CHEMICAL STABILITY** Stable under recommended storage conditions.

INCOMPATIBLE MATERIALS Strong oxidants.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

HAZARDOUS POLYMERIZATION POSSIBLITY OF HAZARDOUS

REACTION

**CONDITIONS TO AVOID** 

Will not occur. Not established

Moisture, sunlight and extreme temperatures.

#### SECTION 11: TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** Oral: Rat: LD50: (mg/kg): Not available

> Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION Based on available data, the classification criteria are not met.

Contains ingredients (Propylene Glycol, Polydimethylsiloxane, Phenoxyethanol, Carbomer and Sodium

Hydroxide) may cause skin irritation.

SERIOUS EYE DAMAGE/EYE Based on available data, the classification criteria are not met.

**IRRITATION** Contains ingredients (Phenoxyethanol and Sodium Hydroxide) may cause eye irritation.

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

SKIN SENSITIZATION Due to lack of data the classification is not possible.

GERM CELL MUTAGENICITY Due to lack of data the classification is not possible.

CARCINOGENICITY **OSHA** No component of this product, present at ≥0.1%, is listed.

> NTP No component of this product, present at ≥0.1%, is listed.

**IARC** CARBOMER (Polyacrylic acid) is listed in group 3 (not classifiable as to its carcinogenicity to

humans).

No other component of this product, present at ≥0.1% has been evaluated.

California No component of this product, present at ≥0.1% is known to the State of California to cause

Proposition 65 cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Due to lack of data the classification is not possible.

REPRODUCTIVE TOXICITY Due to lack of data the classification is not possible.

Last Revision: 04/2023 **HYDROGEL** Page 5 of 8



SPECIFIC TARGET ORGAN TOXICITY -

Due to lack of data the classification is not possible.

SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

Due to lack of data the classification is not possible.

**ASPIRATION HAZARDS** Due to lack of data the classification is not possible.

SIGNS AND SYMPTOMS OF

**EXPOSURE** 

**ROUTES OF EXPOSURE:** Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Not expected to present a significant hazard under anticipated conditions of normal use.

POTENTIAL HEALTH EFFECTS Inhalation

> Ingestion May be harmful if swallowed.

Skin Not expected to present a significant hazard under anticipated conditions of normal use. May

Not expected to present a significant hazard under anticipated conditions of normal use.

cause skin irritation.

Eyes May cause eye irritation.

## **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY** EC50: 48 Hr: Crustacea: (mg/L): Not available

LC50: 96 Hr: Fish: (mg/L): Not available

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

Not available Not available

MOBILITY IN SOIL

Very slightly soluble in cold water.

OTHER ADVERSE EFFECTS

Not available

This product is not intended to be released into the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**DISPOSAL METHODS** Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

### **SECTION 14: TRANSPORT INFORMATION**

**UN PROPER SHIPPING NAME** Not dangerous good

**UN NUMBER** Not applicable **CLASS** Not applicable **PACKING GROUP** Not applicable

**AUSTRALIA** 

**HAZCHEM** Not applicable

Last Revision: 04/2023 **HYDROGEL** Page 6 of 8



EU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE **IBC CODE** 

Not listed

**ENVIRONMENTAL HAZARDS** SPECIAL SHIPPING INFORMATION Not available Not applicable

## **SECTION 15: REGULATORY INFORMATION**

#### **UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	FR Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	X	X	N/L	N/L
SODIUM HYDROXIDE 1310-73-2	Х	N/L	N/L	N/L	X	Х	X	N/L

N/L = Not Listed; X = Listed

#### **AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L
SODIUM HYDROXIDE	N/L	Listed as Schedule	Listed as Category	Listed	N/L	N/L
1310-73-2		7	III			

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L
SODIUM HYDROXIDE 1310-73-2	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product. SUBJECT TO INTERNATIONAL

**AGREEMENT** 

Not applicable

## **SECTION 16: OTHER INFORMATION**

**REFERENCES** Available upon request

**HYDROGEL** Page 7 of 8 Last Revision: 04/2023



#### ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION

**SUPERSEDES** 

04/2023

03/2019

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.

Last Revision: 04/2023 HYDROGEL Page 8 of 8