

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	DIMETHYL SULFOXIDE, USP	
PRODUCT CODE	2430	
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020	
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670	
RECOMMENDED USES	Manufacturing and Compounding	
RESTRICTIONS ON USE	Not applicable	

SECTION 2: HAZARDS IDENTIFICATION

-	uid (Category 4) Foxicity (Category 3)			
Not Applicable				
Warning				
Combustible liquid. Harmful to aquatic life. Causes eye irritation.				
Repeated expo	sure may cause skin dryness or cracking.			
Prevention	Keep away from heat, sparks, open flames and/or hot surfaces. No smoking. Wear protective gloves, eye protection and face protection. Avoid release to the environment. Wash thoroughly after handling.			
Response	 IN CASE OF FIRE: Small fire: dry chemical, CO2 or water spray. Large fire: dry chemical, CO2, alcohol resistant foam or water spray. Do not get water inside containers. In case of fire: keep drums, etc., cool by spraying with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. 			
	Acute Aquatic Not Applicable Warning Combustible lio Harmful to aqua Causes eye irri Repeated expo			



	Storage	Store in a well-ventilated place. Keep cool.							
	Disposal	Dispose	Dispose of contents and/or container in accordance with local regulations.						
HMIS CLASSIFICATION	Health Hazard		1	Flammability	2				
	Reactivity		0	Personal Protection	Н				

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Methane, 1,1'-sulfinylbis			
BOTANICAL NAME	Not applicable			
SYNONYM	DMSO; Methyl sulfoxide			
CHEMICAL FORMULA	C2H6OS			
CHEMICAL FAMILY				
CAS NUMBER	67-68-5			
ALTERNATE CAS NUMBER	Not applicable			
MOLECULAR WEIGHT	78.1344			
COMPOSITION	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
	DIMETHYL SULFOXIDE	67-68-5	200-664-3	100

NOTES

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section. Chemical family: Dipolar aprotic solvent.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek
	medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Above 87°C explosive vapour/air mixtures may be formed. Above 87°C use a closed system, ventilation and explosion-proof electrical equipment.
FLAMMABLE PROPERTIES	Combustible liquid
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.



SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS **Small fire:** dry chemical, CO₂ or water spray. **Large fire:** dry chemical, CO₂, alcohol resistant foam or water spray. Do not get water inside containers. In case of fire: keep drums, etc., cool by spraying with water. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.						
METHODS & MATERIAL FOR CONTAINMENT	On land, sweep or shovel into suitable containers.						
CLEANUP PROCEDURE	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.						
REFERENCE TO OTHER SECTIONS	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.						

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
CONDITIONS FOR SAFE STORAGE	Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.
STORAGE CONDITIONS	Store in original container, tightly sealed, protected from direct sunlight and moisture.
	The freezing point of DMSO is 18.5°C (65.3°F). Product is not affected by cycling freezing and thawing conditions as long as label directions are followed. DMSO can be left at warm room temperature or in a water bath at 40°C to thaw. Gently stir or tumble the container to ensure it is homogenous.

Store away from heat and sources of ignition.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: DIMETHYL SULFOXIDE CAS #: 67-68-5

	Country	Limit valu	ue-8 hours	Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A



WEEL	USA	250	N/L	N/L	N/L	N/L	N/L	N/A	8 hr
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Austria	50	160	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Denmark	50	160	100	320	N/L	N/L	N/A	N/A
GESTIS	Finland	50	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Germany (AGS)	50(1)	160(1)	100(1)(2)	320(1)(2)	N/L	N/L	N/A	(1) Skin (2) 15 minutes average value
GESTIS	Germany (DFG)	50(1)	160(1)	100(1)(2)	320(1)(2)	N/L	N/L	N/A	(1) Skin (2) 15 minutes average value
GESTIS	Sweden	50	150	150(1)	500(1)	N/L	N/L	N/A	(1) 15 minutes average value
GESTIS	Switzerland	50	160	100	320	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

CONTROL BANDING

NOTES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³

PERSONAL PROTECTIVE EQUIPMENTEyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's
eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate
gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin.
Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard
EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are
exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a
thermal hazard, appropriate Personal Protective Equipment should be used.SPECIFIC ENGINEERING CONTROLSAdequate mechanical ventilation. Fumehood, eye wash station, and safety shower.BIOLOGICAL MONITORINGNot available

Not available

The substance can be absorbed into the body by inhalation, through the skin and by ingestion. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Use process enclosures, local exhaust ventilation, or other engineering controls to maintain ventilation. In case of mist formation use a respirator. Respirator type: organic vapor cartridge, SCBA or SAR. If respirators are used, a program should be instituted to assure compliance with OSHA standard 29 CFR § 1910.134.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid				
DESCRIPTION	Clear, colorless, odorless,	hygroscopic liquid.			
SOLUBILITY	Soluble in water; practicall	y insoluble in acetone, in alcol	nol, in benzene, in chlorofo	rm, and in ether.	
ODOR	Odorless				
FLAMMABILITY	Combustible liquid				
AUTO-IGNITION TEMPERATURE	(300-302)°C, (572-575.6)°F	BOILING POINT	189°C, 372.2°F	DECOMPOSITION TEMPERATURE	Not available



EVAPORATION RATE	0.026	EXPLOSIVE LIMIT	Not available	FLASH POINT	89°C, 192.2°F (Closed Cup)
log P (OCTANOL-WATER)	-2.03	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	3.1-3.5%	MELTING/FREEZING POINT	18.5°C, 65.3°F
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	8.5 (50%)
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.1 (20°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	42-63%
VAPOR DENSITY (AIR = 1)	2.71	VAPOR PRESSURE	0.6 mm Hg (25° C)	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Above 87°C explosive vapour/air mixtures may be formed.
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Strong oxidizing agents. Alkaline metals. Isocyanates. Acid chlorides.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBLITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures Hygroscopic-Avoid exposure to moisture

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): 14 500 Dermal: Rabbit LD50: (mg/kg): 40 000 Inhalation: Rat: LC50: (mg/L/4hr): 40 000				
SKIN CORROSION/IRRITATION	Repeated skin ap	oplication (human): Slight irritation			
SERIOUS EYE DAMAGE/EYE IRRITATION	Based on available data, the classification criteria are not met.				
RESPIRATORY SENSITIZATION	Based on availab	ble data, the classification criteria are not met.			
SKIN SENSITIZATION	Based on availabl	le data, the classification criteria are not met.			
GERM CELL MUTAGENICITY	Based on available data, the classification criteria are not met.				
CARCINOGENICITY	OSHA	DIMETHYL SULFOXIDE is not listed.			
	NTP	DIMETHYL SULFOXIDE is not listed.			



	IARC California Proposition 65	DIMETHYL SULFOXIDE is not evaluated.					
		This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.					
ADDITIONAL CARCINOGENICITY INFORMATION	Based on available data, the classification criteria are not met.						
REPRODUCTIVE TOXICITY	 DMSO is not considered to be directly embryotoxic and has been shown to be a successful cryoprotectant for mammalian semen and embryos. A mouse teratology NOEL of 12 g/kg/day has been established based on research with a 50% DMSO solution administered orally. Teratology data suggests that: 1. DMSO is not a teratogen to mammals when administered via oral and dermal routes at dose level that do n produce overt maternal toxicity. 2. DMSO is not a teratogen at low dose levels regardless of the route of administration. 3. The teratogenic potential of DMSO is dependent on route of administration, the dose level and the gestation time of exposure, but in all cases is extremely low or non-existent. 						
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of dat	ta, the classification is not possible.					
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Due to lack of data, the classification is not possible.						
ASPIRATION HAZARDS	Due to lack of data, the classification is not possible.						
SIGNS AND SYMPTOMS OF EXPOSURE	Not available DELAYED HEAL Not available May cause burnin concentration and disturbances, dro						
POTENTIAL HEALTH EFFECTS	Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.					
	Ingestion	May be harmful if swallowed.					
	Skin	May be harmful if absorbed through skin. Causes skin irritation.					
	Eyes	Causes eye irritation.					

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): 16 LC50: 96 Hr: Fish: (mg/L): 34000 EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available
PERSISTENCE AND DEGRADABILITY	Biodegradation: 90
BIOACCUMULATIVE POTENTIAL	Moderate; Log Pow: -2.03.
MOBILITY IN SOIL	Soluble in water Henry's Law Constant: 1.51E-09 atm-m³/mole (25°C)
OTHER ADVERSE EFFECTS	Not available
	This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS



DISPOSAL METHODS

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment. Dilute and flush to an approved wastewater treatment system. Bacterial decomposition of dimethyl sulfoxide during wastewater treatment can result in the release of dimethyl sulfide (a volatile substance with a strong disagreeable odor). Waste DMSO can also be incinerated in an approved furnace where permitted. Consult federal, state or local authorities for proper disposal procedures.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
HAZCHEM	Not Applicable
EU TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	Not listed
ENVIRONMENTAL HAZARDS	Not available
SPECIAL SHIPPING INFORMATION	Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
DIMETHYL SULFOXIDE 67-68-5	N/L	N/L	N/L	N/L	N/L	Х	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
DIMETHYL SULFOXIDE 67-68-5	N/L	N/L	N/L	Listed	N/L	N/L

N/L = Not Listed

EU REGULATIONS



Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
DIMETHYL SULFOXIDE 67-68-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL Not applicable AGREEMENT Not applicable

SECTION 16: OTHER INFORMATION

REFERENCES	Available upon request
ABBREVIATIONS AND ACRONYMS	ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS – Chemical Abstract Service; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; EC50 – Effective Concentration, 50%; EPA – Environmental Protection Agency; GHS – Global Harmonized System; HMIS – Hazardous Materials Information System; HSE – Health and Safety Executive; HSIS – Hazardous Substances Information System; IARC – International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN – Ready Biodegradability Model; ISS – Instituto Superiore Sanità; LC50 – Lethal Concentration, 50%; LD50 – Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH – National Institute for Occupational Safety and Health; NTP – National Toxicology Program; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA – Superfund Amendments and Reauthorization Act; STEL – Short Term Exposure Limit; TLV – Threshold Limit Value; TWA – Time Weighted Average; WHMIS – Workplace Hazardous Materials Information System
LAST REVISION	01/2023
SUPERSEDES	09/2021 For a list of changes to the SDS since the last version, please communicate with MEDISCA at
	www.medisca.com
DISCLAIMER	This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.
SUPPLEMENTARY INFORMATION	For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.