

### **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME PEG 3350 DIN 02358034

PRODUCT CODE 2517

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

**EMERGENCY PHONE** CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

#### **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION Eye Irritation (Category 2B)

PICTOGRAM Not Applicable
SIGNAL WORD Warning

HAZARD STATEMENT(S)

Causes eye irritation.

ADVERSE PHYSIOCHEMICAL, HUMAN Repeated exposure may cause skin dryness or cracking.

HEALTH AND ENVIRONMENTAL

**EFFECTS** 

PRECAUTIONARY STATEMENT(S) Prevention Wash hands thoroughly after handling. Do not touch eyes.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists, get medical help.

Storage Not applicable

Disposal Not applicable

HMIS CLASSIFICATION Health Hazard 1 Flammability 1

Reactivity 0 Personal Protection B



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**CHEMICAL NAME** Poly (oxy-1, 2-ethanediyl), α-hydro-ω-hydroxy-

**BOTANICAL NAME** Not applicable

SYNONYM Carbowax 1450; Macrogol

CHEMICAL FORMULA H(OCH<sub>2</sub>CH<sub>2</sub>)nOH Oxyalkylene polymer CHEMICAL FAMILY

**CAS NUMBER** 25322-68-3 ALTERNATE CAS NUMBER Not applicable MOLECULAR WEIGHT 3015 - 3685

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
POLYETHYLENE GLYCOL	25322-68-3	500-038-2	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

#### **SECTION 4: FIRST-AID MEASURES**

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

Get emergency medical help.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician.

MEDICAL ATTENTION AND SPECIAL

**TREATMENT** 

COMPOSITION

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

### **SECTION 5: FIREFIGHTING MEASURES**

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

Not applicable

FLAMMABLE PROPERTIES

May be combustible at high temperature

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions, hazardous fumes will be present.

SUITABLE & UNSUITABLE **EXTINGUISHING MEDIA** 

Small fire: dry chemical, CO2 or water spray. Large fire: dry chemical, CO2, alcohol resistant foam or water spray. Do not get water inside containers.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 2 of 8



PERSONAL PRECAUTIONS Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**METHODS & MATERIAL FOR** 

On land, sweep or shovel into suitable containers. Minimize generation of dust. CONTAINMENT

**CLEANUP PROCEDURE** Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean

the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash

> thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use

appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in

accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid

environmental contamination.

STORAGE CONDITIONS Store in original container, tightly sealed, protected from direct sunlight and moisture.

Store between 15-30°C.

### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: POLYETHYLENE GLYCOL CAS #: 25322-68-3

	Country	Limit val	ue-8 hours	Limit value	-Short Term	IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	10	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Austria	N/L	1000 (1)	N/L	4000 (1)	N/L	N/L	N/A	(1) inhalable aerosol
GESTIS	Denmark	N/L	1000	N/L	2000	N/L	N/L	N/A	N/A
GESTIS	Germany (AGS)	N/L	200 (1)	N/L	400 (1) (2)	N/L	N/L	N/A	(1) Inhalable fraction (2) 15 minutes average value

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 3 of 8



<b>GESTIS</b>	Germany (DFG)	N/L	250 (1)(2)(3)	N/L	500 (1)(2)(3)(4	N/L	N/L	N/A	(1) Average molecular	
									weight 200 - 600 (2)	
									Inhalable fraction (3)	
									Because formation of a mist	
									is possible, exposure should	
									be minimized for reasons of	
									occupational safety and	
									hygiene. (4) 15 minutes	
									average value	
GESTIS	Switzerland	N/L	500	N/L	N/L	N/L	N/L	N/A	N/A	

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

**EXPOSURE GUIDELINES**Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Solid

**DESCRIPTION** White granular, powder, or flake.

SOLUBILITY Freely soluble in water; soluble in acetone, in alcohol, in chloroform, in ethylene glycol monoethyl ether, in ethyl acetate, and in toluene;

insoluble in ether and in hexane.

ODOR Mild odor

FLAMMABILITY May be combustible at high temperature

PLAWWADILI I I	May be combustible at nig	n temperature			
AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	>200°C, >392°F	DECOMPOSITION TEMPERATURE	>200°C, >392°F
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	246°C, 474.8°F (Closed Cup)
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	(53-57)°C, (127.4-134.6)°F
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	4.5 - 7.5 (5%)

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 4 of 8



RELATIVE DENSITY (WATER = 1)

Not available

SPECIFIC GRAVITY

1.111 (60°C)

UPPER FLAMMABLE/ **EXPLOSIVE LIMIT(S)** 

Not available

VAPOR DENSITY (AIR = 1)

> 10

VAPOR PRESSURE

< 0.01 mmHg (20°C)

VISCOSITY

90.8 cSt (100°C)

The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable under recommended storage conditions. CHEMICAL STABILITY **INCOMPATIBLE MATERIALS** Strong oxidizing agents. Strong acids. Strong bases.

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

HAZARDOUS POLYMERIZATION POSSIBLITY OF HAZARDOUS

REACTION

CONDITIONS TO AVOID

Toxic fumes of carbon monoxide, carbon dioxide and other gases may occur.

Will not occur.

Not established.

Moisture, sunlight and extreme temperatures.

Excessive heat

### **SECTION 11: TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): 32 000

> Dermal: Rabbit LD50: (mg/kg): >20 000 Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION Based on available data, the classification criteria are not met.

Local effects:

Skin irritancy test; Result: Mild irritation; Species: Rabbit Skin irritancy test; Result: No Irritation; Species: Rabbit

SERIOUS EYE DAMAGE/EYE Causes eye irritation.

**IRRITATION** 

Local effects: Eye irritancy test; Result: Mild irritation.; Species: Rabbit

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

SKIN SENSITIZATION Due to lack of data the classification is not possible.

Hypersensitivity to macrogols is uncommon but both immediate urticarial reactions and delayed allergic contact

dermatitis have been reported.

GERM CELL MUTAGENICITY Due to lack of data the classification is not possible.

Data from germ cell mutagenicity tests were not found. In vitro and animal mutagenicity studies were negative.

CARCINOGENICITY **OSHA** POLYETHYLENE GLYCOL is not listed.

> **NTP** POLYETHYLENE GLYCOL is not listed. **IARC** POLYETHYLENE GLYCOL is not evaluated.

California This product does not contain any chemicals known to the State of California to cause

**Proposition 65** cancer, birth defects, or any other reproductive harm.

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 5 of 8



ADDITIONAL CARCINOGENICITY

INFORMATION

Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY

Based on available data, the classification criteria are not met.

For similar material(s): In animal studies, did not interfere with reproduction.

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Due to lack of data the classification is not possible.

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

Based on available data, repeated exposures are not anticipated to cause significant adverse effects. Recent findings of kidney failure and death in burn patients, as well as some studies using animal burn models, suggest that polyethylene glycol may have been a factor. The use of topical applications containing this material may not be appropriate in severely burned patients or individuals with impaired renal function.

ASPIRATION HAZARDS

SIGNS AND SYMPTOMS OF ROUTES OF EXPOSURE:

EXPOSURE

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Based on available data, the classification criteria are not met.

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Symptoms related to the physical, chemical, and toxicological characteristics:

Polyethylene glycols: Gastrointestinal disturbances. Taste disorders

POTENTIAL HEALTH EFFECTS

Inhalation At room temperature, exposure to vapor is minimal due to low volatility; single exposure is

not likely to be hazardous.

Ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small

quantities.

Skin May be harmful if absorbed through skin. Prolonged contact may cause slight skin irritation

with local redness. Prolonged skin contact is unlikely to result in absorption of harmful

amounts.

**Eyes** May cause slight temporary eye irritation. Corneal injury is unlikely.

### **SECTION 12: ECOLOGICAL INFORMATION**

EC50: 48 Hr: Crustacea: Daphnia magna: (mg/L): > 10 000

LC50: 96 Hr: Fish: Pimephales promelas: (mg/L): > 10 000

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY

Material is expected to be readily biodegradable.

BOD5=5-17%; BOD10=34.5-38%; BOD20=40.2-70%

BIOACCUMULATIVE POTENTIAL

No bioconcentration is expected because of the relatively high water solubility.

MOBILITY IN SOIL Freely soluble in water

OTHER ADVERSE EFFECTS Not available

This product is not intended to be released into the environment

## **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 6 of 8



# **SECTION 14: TRANSPORT INFORMATION**

UN PROPER SHIPPING NAME Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable
PACKING GROUP Not applicable

**AUSTRALIA** 

HAZCHEM Not Applicable

<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

**IBC CODE** 

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

## **SECTION 15: REGULATORY INFORMATION**

### **UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

#### **AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
POLYETHYLENE GLYCOL 25322-68-3	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

**AGREEMENT** 

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 7 of 8



#### **SECTION 16: OTHER INFORMATION**

REFERENCES

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION SUPERSEDES 07/2023

05/2020

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

**DISCLAIMER** 

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.

Last Revision: 07/2023 PEG 3350 DIN 02358034 Page 8 of 8