

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	FD & C YELLOW NO.6 (Sunset Yellow FCF) (Aluminum Lake Powder)
PRODUCT CODE	2744
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126 National Chemical Emergency Centre 44(0)1235239670
RECOMMENDED USES	Manufacturing and Compounding
RESTRICTIONS ON USE	Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION	Based on available data, the classification criteria are not met		
PICTOGRAM	Not Applicable		
SIGNAL WORD	Not applicable		
HAZARD STATEMENT(S)	May cause an allergic reaction.		
ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS	Not applicable		
PRECAUTIONARY STATEMENT(S)	Prevention	Do not breathe dust or mist. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.	
	Response	IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or medical professional. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	Storage	Not applicable	
	Disposal	Dispose of contents and/or container in accordance with local regulations.	
HMIS CLASSIFICATION	Health Hazard	1	Flammability 0

Reactivity

0

Personal Protection

E

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Aluminum 6-oxido-5-[(E)-(4-sulfonatophenyl)diazenyl]-2-naphtalenesulfonate								
BOTANICAL NAME	Not applicable								
SYNONYM	CI Food Yellow 3; CI No. 15985:1								
CHEMICAL FORMULA	C ₁₆ H ₉ AlN ₂ O ₇ S ₂								
CHEMICAL FAMILY	Monoazo dye in Alumina								
CAS NUMBER	15790-07-5								
ALTERNATE CAS NUMBER	Not applicable								
MOLECULAR WEIGHT	432.368								
COMPOSITION	<table border="1"> <thead> <tr> <th>CHEMICAL NAME</th> <th>CAS NUMBER</th> <th>EC NUMBER</th> <th>% BY WEIGHT</th> </tr> </thead> <tbody> <tr> <td>FD & C YELLOW No.6 (Aluminum Lake)</td> <td>15790-07-5</td> <td>239-888-1</td> <td>100</td> </tr> </tbody> </table>	CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT	FD & C YELLOW No.6 (Aluminum Lake)	15790-07-5	239-888-1	100
CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT						
FD & C YELLOW No.6 (Aluminum Lake)	15790-07-5	239-888-1	100						

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

NOTES

The aluminium lake of the colour could add to the daily intake of aluminium for which a TWI of 1 mg aluminium/kg bw/week has been established (EFSA, 2008b).

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Wash with soap & water for 15 minutes. If irritation persists seek medical aid.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
MEDICAL ATTENTION AND SPECIAL TREATMENT	Get emergency medical help.
SYMPTOMS CAUSED BY EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	May form combustible dust-air mixtures.
FLAMMABLE PROPERTIES	May be combustible at high temperature.
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.
SUITABLE & UNSUITABLE EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.
PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES
PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

METHODS & MATERIAL FOR CONTAINMENT

On land, sweep or shovel into suitable containers. Minimize generation of dust.

CLEANUP PROCEDURE

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE
PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: **FD & C YELLOW No.6 (Aluminum Lake)** CAS #: **15790-07-5**

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m ³	ppm	mg/m ³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Add Country	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³

PERSONAL PROTECTIVE EQUIPMENT	Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Thermal Hazards: For products representing a thermal hazard, appropriate Personal Protective Equipment should be used.
SPECIFIC ENGINEERING CONTROLS	Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.
BIOLOGICAL MONITORING	Not available
CONTROL BANDING	Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid				
DESCRIPTION	Reddish powder. Is odorless.				
SOLUBILITY	Insoluble in water.				
ODOR	Odorless				
FLAMMABILITY	May be combustible at high temperature				
AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	390 °C, 734 °F
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	390 °C, 734 °F (decomposes)
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	pH	Not available
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	Not available	UPPER FLAMMABLE/EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	Not available	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
CHEMICAL STABILITY	Stable under recommended storage conditions
INCOMPATIBLE MATERIALS	Strong oxidants and reducing agent may destroy color
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

HAZARDOUS POLYMERIZATION	Will not occur
POSSIBILITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Moisture, sunlight and extreme temperatures

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Oral: Rat: LD50: (mg/kg): 2000 Dermal: Rabbit LD50: (mg/kg): 2000 Inhalation: Rat: LC50: (mg/L/4hr): 1.51
SKIN CORROSION/IRRITATION	Due to lack of data the classification is not possible. Slight irritant (Rabbit)
SERIOUS EYE DAMAGE/EYE IRRITATION	Due to lack of data the classification is not possible.
RESPIRATORY SENSITIZATION	FD & C YELLOW NO.6 (Sunset Yellow FCF): Sensitivity reactions have been reported. There is some evidence that inhaling this product is more likely to cause a sensitization reaction in some persons compared to the general population. There is limited evidence that, skin contact with this product is more likely to cause a sensitization reaction in some persons compared to the general population.
SKIN SENSITIZATION	Due to lack of data the classification is not possible.
GERM CELL MUTAGENICITY	Due to lack of data the classification is not possible. FD & C YELLOW NO.6 (Sunset Yellow FCF): Did not show any genotoxic activity
CARCINOGENICITY	OSHA FD & C YELLOW NO.6 (Sunset Yellow FCF) is not listed. NTP FD & C YELLOW NO.6 (Sunset Yellow FCF) is not listed. IARC FD & C YELLOW NO.6 (Sunset Yellow FCF) is listed in group 3 (not classifiable as to its carcinogenicity to humans). California Proposition 65 This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.
ADDITIONAL CARCINOGENICITY INFORMATION	Based on available data, the classification criteria are not met. Although some evidence of carcinogenicity was found in early animal studies subsequent work failed to confirm these findings. Some azo dyes may be able to cause mutations and be associated with the development of bladder cancer.
REPRODUCTIVE TOXICITY	Due to lack of data the classification is not possible.
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of data the classification is not possible.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Based on available data, the classification criteria are not met. FD & C YELLOW NO.6 (Sunset Yellow FCF): Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis; caused by particles less than 0.5 micron penetrating and remaining in the lung. Prime symptom is breathlessness; lung shadows show on X-ray.
ASPIRATION HAZARDS	Based on available data, the classification criteria are not met.

SIGNS AND SYMPTOMS OF EXPOSURE

ROUTES OF EXPOSURE:

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

FD & C YELLOW NO.6 (Sunset Yellow FCF): Hypersensitivity reactions including severe abdominal cramps and Quincke's oedema have been recorded in individual patients receiving medication that was coloured with sunset yellow FCF. Sensitive individuals may react at dose levels within the ADI of 0-2.5 mg/kg bw/day.

Not expected to present a significant hazard under anticipated conditions of normal use.

POTENTIAL HEALTH EFFECTS

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation. The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Sunset Yellow FCF is absorbed from the gastrointestinal tract to only a small extent and thus most of an orally administered dose is excreted via the faeces.
Skin	The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
Eyes	Although the material is not thought to be an irritant, direct contact with the eye may cause transient discomfort characterized by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

SECTION 12: ECOLOGICAL INFORMATION**ECOTOXICITY**

EC50: 48 Hr: Crustacea: (mg/L): 100 - 128.231

LC50: 96 Hr: Fish: (mg/L):100

EC50: 72 Hr: Algae: (mg/L): 200

PERSISTENCE AND DEGRADABILITY

Biodegradation of azo dyes can occur in both aerobic and anaerobic environments.

BIOACCUMULATIVE POTENTIAL

Although azo dyes are generally not readily or inherently biodegradable, bioaccumulation or adsorption to sediment is not expected.

MOBILITY IN SOIL

Insoluble in water.

OTHER ADVERSE EFFECTS

Not available

This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME Not dangerous good
 UN NUMBER Not applicable
 CLASS Not applicable
 PACKING GROUP Not applicable

AUSTRALIA

HAZCHEM Not Applicable

EU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE Not listed

ENVIRONMENTAL HAZARDS Not available

SPECIAL SHIPPING INFORMATION Not applicable

SECTION 15: REGULATORY INFORMATION
UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Pennsylvania	Right-to-know		California Prop 65
			Appendix A	Appendix B		New Jersey	Massachusetts	
FD & C YELLOW No.6 (Aluminum Lake) 15790-07-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemicals
FD & C YELLOW No.6 (Aluminum Lake) 15790-07-5	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
FD & C YELLOW No.6 (Aluminum Lake) 15790-07-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL AGREEMENT Not applicable

SECTION 16: OTHER INFORMATION

REFERENCES

Available upon request

ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; **AIHA WEEL** – American Industrial Hygiene Association Workplace Environment Exposure Levels; **CAESAR** – Computer Assisted Evaluation of industrial chemical Substances According to Regulations; **CAS** – Chemical Abstract Service; **CERCLA** – Comprehensive Environmental Response, Compensation, and Liability Act; **EC50** – Effective Concentration, 50%; **EPA** – Environmental Protection Agency; **GHS** – Global Harmonized System; **HMIS** – Hazardous Materials Information System; **HSE** – Health and Safety Executive; **HSIS** – Hazardous Substances Information System; **IARC** – International Agency for Research on Cancer; **IDLH** - Immediately Dangerous to Life or Health; **IRFMN** – Ready Biodegradability Model; **ISS** – Istituto Superiore Sanità; **LC50** – Lethal Concentration, 50%; **LD50** – Lethal Dose, 50%; **MSHA** - Mine Safety and Health Administration; **NIOSH** – National Institute for Occupational Safety and Health; **NTP** – National Toxicology Program; **OSHA PEL** – Occupational Safety & Health Administration Permissible Exposure Limits; **QSAR** – Quantitative Structure-activity relationship; **REL** - Recommended Exposure Limit; **SARA** – Superfund Amendments and Reauthorization Act; **STEL** – Short Term Exposure Limit; **TLV** – Threshold Limit Value; **TWA** – Time Weighted Average; **WHMIS** – Workplace Hazardous Materials Information System

LAST REVISION

03/2023

SUPERSEDES

03/2021

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.