

## **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME BITTERNESS SUPPRESSOR FLAVOR (Liquid) (FlavoRx)

PRODUCT CODE 2988

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

## **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION Flammable Liquid (Category 3)

Eye Irritation (Category 2B) Skin Irritation (Category 2)

**PICTOGRAM** 

Warning



SIGNAL WORD

Last Revision: 02/2023

HAZARD STATEMENT(S) Flammable liquid and vapor.

May cause an allergic reaction.

Cause irritation to the skin, eyes and respiratory tract.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

**EFFECTS** 

Repeated exposure may cause skin dryness or cracking.



PRECAUTIONARY STATEMENT(S) Prevention Wash hands thoroughly after handling. Do not touch eyes.

Keep away from heat, sparks, open flames and/or hot surfaces.

No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Wear protective gloves, protective clothing, eye and face protection.

Response IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical help. Take off

contaminated clothing and wash it before reuse.

IF ON SKIN (HAIR): Take off immediately all contaminated clothing. Rinse affected areas

with water/shower.

IN CASE OF FIRE: Use dry chemical, CO<sub>I</sub>2, alcohol resistant foam or water spray to

extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help.

Storage Store in a well-ventilated place.

Keep cool.

Dispose of contents and/or container in accordance with local regulations. Disposal

HMIS CLASSIFICATION 3 **Health Hazard** Flammability

Not applicable

Personal Protection Reactivity 0 Ε

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**CHEMICAL NAME** Not applicable **BOTANICAL NAME** 

SYNONYM Not applicable **CHEMICAL FORMULA** Not applicable

CHEMICAL FAMILY Not available

CAS NUMBER Not applicable ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT Not applicable

COMPOSITION

**NOTES** 

**CHEMICAL NAME** CAS NUMBER **EC NUMBER** % BY WEIGHT **ETHANOL** 64-17-5 200-578-6 25 - 50 PROPYLENE GLYCOL 57-55-6 200-338-0 50 - 75

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

All flavor ingredients contained in this product are approved for use in a regulation of the Food And Drug Administration or are listed as being generally recognized as safe on the FEMA GRAS list.

This product contains: propylene glycol, alcohol, natural and artificial flavors\*.

\*Flavoring components are considered trade secret. Therefore the chemical names, exact compositional breakdown, or other chemical identification of the specific compounds of flavor ingredients are withheld in accordance with 1910.1200 of the Code of Federal regulations.

## **SECTION 4: FIRST-AID MEASURES**

Last Revision: 02/2023



IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician

MEDICAL ATTENTION AND SPECIAL

TREATMENT

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.

## **SECTION 5: FIREFIGHTING MEASURES**

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Not applicable

Flammable liquid and vapor.

Under fire conditions, hazardous fumes will be present.

**Small fire:** dry chemical, CO<sub>2</sub> or water spray. **Large fire:** dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

METHODS & MATERIAL FOR CONTAINMENT

CLEANUP PROCEDURE

On land, sweep or shovel into suitable containers.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

Last Revision: 02/2023

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.



CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Last Revision: 02/2023

Store in original container, tightly sealed, protected from direct sunlight and moisture.

## **SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION**

Chemical Name: ETHANOL CAS #: 64-17-5

	Country	Limit va	lue-8 hours	Limit value	e-Short Term	IDLH	REL	Advisory	Notes	
		ppm	mg/m³	ppm	mg/m³					
OSHA	USA	1000	1900	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	1000	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
NIOSH	USA	1000	1900	N/L	N/L	3300 ppm*	N/L	N/A	*[10%LEL] see 64175	
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A	
HSIS	Australia	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A	
HSE	UK	1000	1920	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Australia	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Austria	1000	1900	2000	3800	N/L	N/L	N/A	N/A	
GESTIS	Belgium	1000	1907	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Canada - Ontario	N/L	N/L	1000	N/L	N/L	N/L	N/A	N/A	
GESTIS	Canada - Québec	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Denmark	1000	1900	2000	3800	N/L	N/L	N/A	N/A	
GESTIS	Finland	1000	1900	1300	2500	N/L	N/L	N/A	15 minutes average value	
GESTIS	France	1000	1900	5000	9500	N/L	N/L	N/A	N/A	
GESTIS	Germany (AGS)	200	380	800	1520	N/L	N/L	N/A	15 minutes average value	
GESTIS	Germany (DFG)	200	380	800	1520	N/L	N/L	N/A	15 minutes average value	
GESTIS	Hungary	N/L	1900	N/L	7600	N/L	N/L	N/A	N/A	
GESTIS	Ireland	N/L	N/L	1000	N/L	N/L	N/L	N/A	15 minutes reference period	
GESTIS	Latvia	N/L	1000	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	New Zealand	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Poland	N/L	1900	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Romania	1000	1900	5000	9500	N/L	N/L	N/A	15 minutes average value	
GESTIS	Singapore	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	South Korea	1000	1900	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Spain	N/L	N/L	1000	1910	N/L	N/L	N/A	N/A	
GESTIS	Sweden	500	1000	1000	1900	N/L	N/L	N/A	15 minutes average value	
GESTIS	Switzerland	500	960	1000	1920	N/L	N/L	N/A	N/A	
GESTIS	The Netherlands	N/L	260	N/L	1900	N/L	N/L	N/A	N/A	
GESTIS	United Kingdom	1000	1920	N/L	N/L	N/L	N/L	N/A	N/A	



Chemical Name: PROPYLENE GLYCOL CAS #: 57-55-6

	Country	Limit value-8 hours		Limit value-8 hours Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
WEEL	USA	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	150	474	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	150	474; 10(1)	N/L	N/L	N/L	N/L	N/A	1) particulates only
GESTIS	Canada-Ontario	50	155; 10(1)	N/L	N/L	N/L	N/L	N/A	(1) For assessing the visibility in a work environment where 1,2-propylene glycol aerosol is present.
GESTIS	Ireland	150	470; 10(1)	N/L	N/L	N/L	N/L	N/A	(1) particulates only
GESTIS	New Zealand	150(1)	474; 10(1)	N/L	N/L	N/L	N/L	N/A	(1) particulates only
GESTIS	Latvia	N/L	7(1)	N/L	N/L	N/L	N/L	N/A	(1) particulates only

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

**EXPOSURE GUIDELINES**Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m3.

PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Liquid

**DESCRIPTION** Colorless to pale yellow liquid with characteristic odor.

Not available

SOLUBILITY Soluble in water.

ODOR Characteristic odor

**FLAMMABILITY** Flammable liquid and vapor.

Tidrimable liquid and vapor.

AUTO-IGNITION TEMPERATURE

Last Revision: 02/2023

BOILING POINT

Not available

DECOMPOSITION TEMPERATURE Not available



EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	25 °C, 77 °F
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	2.6 (v/v) %	MELTING/FREEZING POINT	Not available
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	Not available
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	0.9080 - 0.9480 (25°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	15.0 (v/v) %
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	59 hPa	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY Not established

CHEMICAL STABILITY Stable under recommended storage conditions

**INCOMPATIBLE MATERIALS** Strong oxidants

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

HAZARDOUS POLYMERIZATION Will not occur POSSIBLITY OF HAZARDOUS

**REACTION** 

**CONDITIONS TO AVOID** 

Last Revision: 02/2023

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

Not established

Moisture, sunlight and extreme temperatures

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit: LD50: (mg/kg): Not available

Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION ETHANOL:

Skin: Rabbit: 20 mg/24hr: Moderate

SERIOUS EYE DAMAGE/EYE ETHANOL:

IRRITATION Eye: Rabbit: 500 mg/24hr: Mild

RESPIRATORY SENSITIZATION Due to lack of data the classification is not possible.

SKIN SENSITIZATION Due to lack of data the classification is not possible.

**GERM CELL MUTAGENICITY** Due to lack of data the classification is not possible.

CARCINOGENICITY **OSHA** Based on the compositional information available from the supplier, no component of this

product is listed.



NTP Based on the compositional information available from the supplier, no component of this

product is listed.

IARC ETHANOL is listed in group 1 (carcinogenic to humans).

Based on the compositional information available from the supplier, no other component of

this product is listed

California Based on the compositional information available from the supplier, no component of this

Proposition 65 product is listed.

ADDITIONAL CARCINOGENICITY

INFORMATION

Not available

REPRODUCTIVE TOXICITY

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

ASPIRATION HAZARDS

SIGNS AND SYMPTOMS OF

EXPOSURE

ROUTES OF EXPOSURE:

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available.

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available.

May cause an allergic reaction.

POTENTIAL HEALTH EFFECTS Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY** EC50: 48 Hr: Crustacea: (mg/L): Not available

LC50: 96 Hr: Fish: (mg/L): Not available

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

MOBILITY IN SOIL

OTHER ADVERSE EFFECTS

Last Revision: 02/2023

Not available

Not available

Soluble in water.
Not available

This product is not intended to be released into the environment

### **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

#### **SECTION 14: TRANSPORT INFORMATION**



UN PROPER SHIPPING NAME EXTRACTS, FLAVOURING, LIQUID

UN NUMBER 1197 CLASS 3

PACKING GROUP

**AUSTRALIA** 

HAZCHEM 3Y

<u>EU</u>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

## **SECTION 15: REGULATORY INFORMATION**

#### **UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	R Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	X	X	N/L	N/L
ETHANOL 64-17-5	N/L	N/L	N/L	N/L	Х	Х	X	X

N/L = Not Listed; X = Listed

#### **AUSTRALIAN REGULATIONS**

	Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
	PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L
PROPYLENE GLYCOL 57-55-6   N/L   N	ETHANOL 64-17-5	N/L	N/L	Listed as Category	N/L	N/L	N/L
				III			

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L
ETHANOL 64-17-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

**AGREEMENT** 

Last Revision: 02/2023



#### **SECTION 16: OTHER INFORMATION**

#### REFERENCES

#### ABBREVIATIONS AND ACRONYMS

#### Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION

**SUPERSEDES** 

02/2023

03/2020

For a list of changes to the SDS since the last version, please communicate with MEDISCA at <a href="https://www.medisca.com">www.medisca.com</a>

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

Last Revision: 02/2023

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.