

### **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME Cleanroom Supplies, Spor Klenz® Ready-To-Use Sterilant, 3.2 L, Sterile (Steris®)

PRODUCT CODE 3116

SUPPLIER MEDISCA Inc.

Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

**MEDISCA Australia PTY LTD** 

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Industrial/Lab Use Only

RESTRICTIONS ON USE Not applicable

### **SECTION 2: HAZARDS IDENTIFICATION**

GHS CLASSIFICATION Skin Corrosion (Category 1)

Eye Damage (Category 1)

SIGNAL WORD Dange

SIGNAL WORD Danger

HAZARD STATEMENT(S) Causes severe skin burns and serious eye damage.

Not Applicable.

Keep Out of Reach of Children.

Hazard to Humans and Domestic Animals.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

EFFECTS

**PICTOGRAM** 

PRECAUTIONARY STATEMENT(S) Prevention Do not breathe dust or mist.

Wear protective gloves, protective clothing, eye and face protection.

Wash hands thoroughly after handling. Do not touch eyes.



В

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Immediately rinse

skin with water for several minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately; Immediately call a poison center or medical

professional;

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help; Immediately call a poison center

Personal Protection

or medical professional.

Store locked up. Storage

Reactivity

Disposal Dispose of contents and/or container in accordance with local regulations.

HMIS CLASSIFICATION 0 **Health Hazard** Flammability

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

0

CHEMICAL NAME Not applicable

**BOTANICAL NAME** Not applicable

SYNONYM Not applicable

CHEMICAL FORMULA Not applicable **CHEMICAL FAMILY** Not available

CAS NUMBER Not applicable

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT Not applicable

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
ACETIC ACID	64-19-7	200-580-7	< 10
HYDROGEN PEROXIDE	7722-84-1	231-765-0	~ 1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

#### **SECTION 4: FIRST-AID MEASURES**

IN CASE OF EYE CONTACT Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician

MEDICAL ATTENTION AND SPECIAL

TREATMENT

COMPOSITION

Get emergency medical help.

SYMPTOMS CAUSED BY EXPOSURE Not expected to present a significant hazard under anticipated conditions of normal use.



#### **SECTION 5: FIREFIGHTING MEASURES**

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Not applicable

May be combustible at high temperature

Under fire conditions, hazardous fumes will be present.

Small fire: dry chemical, CO<sub>2</sub> or water spray. Large fire: dry chemical, CO<sub>2</sub>, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**METHODS & MATERIAL FOR** 

CONTAINMENT

CLEANUP PROCEDURE

On land, sweep or shovel into suitable containers.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Store in original container, tightly sealed, protected from direct sunlight and moisture.

Preserve in original containers at controlled room temperatures. Controlled room temperature indicates a temperature 20° to 25°C (68° to 77°F); that results in a mean kinetic temperature calculated to be not more than 25°C; and that allows for excursions between 15° and 30°C (59° and 86°F) that are experienced in pharmacies, hospitals, and warehouses. Provided the mean kinetic temperature remains in the allowed range, transient spikes up to 40°C (104°F) are permitted as long as they do not exceed 24 hours.

### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION



Chemical Name: ACETIC ACID CAS #: 64-19-7

	Country	Limit va	Limit value-8 hours		Limit value-Short Term		REL	Advisory	Notes	
		ppm mg/m³		ppm mg/m³						
OSHA	USA	10	25	N/L	N/L	N/L	N/L	N/A	N/A	
ACGIH	USA	10	N/L	15	N/L	N/L	N/L	N/A	N/A	
NIOSH	USA	10	25	N/L	N/L	25mg/m³	25mg/m³;	N/A	N/A	
WEEL	USA	N/L	N/L	N/L	N/L	N/L	10ppm N/L	N/A	N/A	
HSIS	Australia	10	25	15	37	N/L	N/L	N/A	N/A	
HSE	UK	10	25	20 (1)	50 (1)	N/L	N/L	N/A	N/A	
GESTIS	Austria	10 (1)	25 (1)	20 (1)(2)	20 (1)(2)	N/L	N/L	N/A	(1) Indicative Occupational Exposure Limit Values, proposual (2) Ceiling limit value (5 minutes)	
GESTIS	Belgium	10	25	15 (1)	38 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Canada - Ontario	10	N/L	15	N/L	N/L	N/L	N/A	N/A	
GESTIS	Canada - Québec	10	25	15	37	N/L	N/L	N/A	N/A	
GESTIS	Denmark	10	25	20	50	N/L	N/L	N/A	N/A	
GESTIS	European Union	10 (2)	25 (2)	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value; (2): Indicative Occupational Exposure Limit Value (IOELV)	
GESTIS	Finland	5	13	10 (1)	25 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	France	10	25	20 (1)	50 (1)	N/L	N/L	N/A	N/A	
GESTIS	Germany (AGS)	10	25	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Germany (DFG)	10	25	N/L	N/L	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Hungary	N/L	25	N/L	25	N/L	N/L	N/A	N/A	
GESTIS	Ireland	10	25	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Japan (JSOH)	10	25	N/L	N/L	N/L	N/L	N/A	N/A	
GESTIS	Latvia	10	25	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	New Zealand	10	25	15	37	N/L	N/L	N/A	N/A	
GESTIS	China	N/L	10	N/L	20 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Poland	N/L	25	N/L	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Romania	10	25	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average value	
GESTIS	Singapore	10	25	15	37	N/L	N/L	N/A	N/A	
GESTIS	South Korea	10	25	15	37	N/L	N/L	N/A	N/A	



<b>GESTIS</b>	Spain	10	25	20 (1)	50 (1)	N/L	N/L	N/A	(1) 15 minutes average
									value VLI
GESTIS	Sweden	5	13	10 (1)	25 (1)	N/L	N/L	N/A	(1) 15 minutes average
									value
GESTIS	Switzerland	10	25	20	50	N/L	N/L	N/A	N/A
GESTIS	Turkey	10	25	N/L	N/L	N/L	N/L	N/A	N/A

#### 

	Country	Limit value-8 hours		Limit value-Short Term		IDLH	REL	Advisory	Notes
		ppm	mg/m³	ppm	mg/m³				
OSHA	USA	1	1.4	N/L	N/L	N/L	N/L	N/A	N/A
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
NIOSH	USA	1	1.4	N/L	N/L	N/L	1.4 mg/m³	N/A	N/A
WEEL	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A
HSIS	Australia	1	1.4	N/L	N/L	N/L	N/L	N/A	N/A
HSE	UK	1	1.4	2	2.8	N/L	N/L	N/A	N/A
GESTIS	Austria	1	1,4	2	2.8	N/L	N/L	N/A	N/A
GESTIS	Belgium	1	1,4	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Canada - Ontario	1	N/L	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Canada - Québec	1	1,4	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Denmark	1	1,4	2	2.8	N/L	N/L	N/A	N/A
GESTIS	Finland	1	1,4	3 (1)	4,2 (1)	N/L	N/L	N/A	(1) 15 minutes average
									value
GESTIS	France	1	1,5	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Germany (DFG)	0.5	0,71	0,5 (1)	0,71 (1)	N/L	N/L	N/A	(1) 15 minutes average
GESTIS	Ireland	1	1,5	2 (1)	3 (1)	N/L	N/L	N/A	(1) 15 minutes reference period
GESTIS	China	N/L	1,5	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Poland	N/L	0,4	N/L	0,8 (1)	N/L	N/L	N/A	(1) 15 minutes average value
GESTIS	Singapore	1	1,4	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	South Korea	1	1,5	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Spain	1	1,4	N/L	N/L	N/L	N/L	N/A	N/A
GESTIS	Sweden	1	1,4	2 (1)	3 (1)	N/L	N/L	N/A	(1) 15 minutes average value
GESTIS	Switzerland	1	1,4	2 (1)	2,8 (1)	N/L	N/L	N/A	(1) 15 minutes average value

N/L = Not listed ; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINES

Consult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable fraction: 5 mg/m³.



PERSONAL PROTECTIVE EQUIPMENT Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

VISCOSITY

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS

Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE Liquid

**DESCRIPTION** Clear colorelss liquid with characteristic odor.

SOLUBILITY Soluble in water

ODOR Characteristic odor

FLAMMABILITY May be combustible at high temperature

AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	Not available
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	Not available
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	Not available
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	рН	1.5 - 2
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.000 - 1.020 (15.6°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available

The physical data presented above are typical values and should not be construed as a specification.

Not available

### **SECTION 10: STABILITY AND REACTIVITY**

Not available

VAPOR PRESSURE

**REACTIVITY** Thermal decomposition generates corrosive vapours.

CHEMICAL STABILITY Stable under recommended storage conditions

INCOMPATIBLE MATERIALS

Strong oxidants. Heavy metals. Bronze. Brass. Copper and its alloys. Iron. Aluminium. Salts. Alkalis, strong acids, strong bases, and caustic products. Combustible organic compounds. Formaldehyde. Chlorine

VAPOR DENSITY

(AIR = 1)

Not available



HAZARDOUS DECOMPOSITION

**PRODUCTS** 

HAZARDOUS POLYMERIZATION

POSSIBLITY OF HAZARDOUS

REACTION

CONDITIONS TO AVOID

Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur

Will not occur

Not established

Moisture, sunlight, extreme temperatures and excessive heat.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY** Oral: Rat: LD50: (mg/kg): Not available

Dermal: Rat: LD50: (mg/kg): >20 000

Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATION Causes severe skin burns (pH: 1.5 - 2)

SERIOUS EYE DAMAGE/EYE Causes eye damage (pH: 1.5 - 2)

**IRRITATION** 

RESPIRATORY SENSITIZATION Based on available data, the classification criteria are not met.

SKIN SENSITIZATION Based on available data, the classification criteria are not met.

GERM CELL MUTAGENICITY Based on available data, the classification criteria are not met.

CARCINOGENICITY **OSHA** No component of this product, present at ≥0.1%, is listed. NTP No component of this product, present at ≥0.1%, is listed.

> **IARC** HYDROGEN PEROXIDE is listed in group 3 (not classifiable as to its carcinogenicity to

> > humans)

No other component of this product, present at ≥0.1% has been evaluated.

California This product does not contain any chemicals known to the State of California to cause

Proposition 65 cancer, birth defects, or any other reproductive harm.

ADDITIONAL CARCINOGENICITY

INFORMATION

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

ASPIRATION HAZARDS

Based on available data, the classification criteria are not met.

SIGNS AND SYMPTOMS OF

**EXPOSURE** 

**ROUTES OF EXPOSURE:** 

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

POTENTIAL HEALTH EFFECTS Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

> Ingestion May be harmful if swallowed.

May be harmful if absorbed through skin. Causes severe skin burns. Skin

Causes eye damage. Eyes



### **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY** EC50: 48 Hr: Crustacea: (mg/L): Not available

Not available

Not available

LC50: 96 Hr: Fish: (mg/L): Not available

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY
BIOACCUMULATIVE POTENTIAL

MOBILITY IN SOIL Soluble in water

OTHER ADVERSE EFFECTS Not available

This product is not intended to be released into the environment

### **SECTION 13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS

NOTES

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite in a sanitary sewer or at an approved waste disposal facility.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this process two more times.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying.

### **SECTION 14: TRANSPORT INFORMATION**

UN PROPER SHIPPING NAME Not dangerous good

UN NUMBER Not applicable
CLASS Not applicable

PACKING GROUP Not applicable

<u>AUSTRALIA</u>

**IBC CODE** 

HAZCHEM Not applicable

ΕU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

Not Listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable



### **SECTION 15: REGULATORY INFORMATION**

#### **UNITED STATES REGULATIONS**

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Pennsylvania	California Prop 65		
ACETIC ACID, 64-19-7	Х	N/L	N/L	N/L	X	Х	X	N/L
HYDROGEN PEROXIDE, 7722-84-1	N/L	N/L	Х	N/L	Х	Х	Х	N/L

N/L = Not Listed; X = Listed

#### **AUSTRALIAN REGULATIONS**

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
ACETIC ACID, 64-19-7	N/L	N/L	Listed as Category	N/L	N/L	N/L
			III			
HYDROGEN PEROXIDE,	N/L	Listed as Schedule	N/L	Listed	N/L	N/L
7722-84-1		6				

N/L = Not Listed

#### **EU REGULATIONS**

Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
ACETIC ACID, 64-19-7	N/L	N/L	N/L	N/L	N/L	N/L	N/L
HYDROGEN PEROXIDE, 7722-84-1	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product.

SUBJECT TO INTERNATIONAL

Not applicable

AGREEMENT

### **SECTION 16: OTHER INFORMATION**

REFERENCES Available upon request



#### ABBREVIATIONS AND ACRONYMS

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR - Quantitative Structure-activity relationship; REL - Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION SUPERSEDES 02/2023

05/2020

For a list of changes to the SDS since the last version, please communicate with MEDISCA at <a href="https://www.medisca.com">www.medisca.com</a>

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.