

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME VITAMIN IRON MASKING AGENT (Liquid)(FlavoRx)

PRODUCT CODE 3188

SUPPLIER MEDISCA Inc.

> Tel.: 1.800.932.1039 | Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063

MEDISCA Pharmaceutique Inc.

Tel.: 1.800.665.6334 | Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8

21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2

MEDISCA Australia PTY LTD

Tel.: 1.300.786.392 | Fax.: 61.2.9700.9047

Unit 7, Heritage Business Park

5-9 Ricketty Street, Mascot, NSW 2020

EMERGENCY PHONE CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

NSW Poisons Information Centre: 131 126

National Chemical Emergency Centre 44(0)1235239670

RECOMMENDED USES Manufacturing and Compounding

RESTRICTIONS ON USE Not applicable

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PICTOGRAM

Flammable Liquid (Category 3)

Flammable liquid and vapor.



SIGNAL WORD

HAZARD STATEMENT(S)

Last Revision: 06/2023

Warning

Causes irritation to skin, eyes and respiratory tract.

ADVERSE PHYSIOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL

EFFECTS

PRECAUTIONARY STATEMENT(S)

Repeated exposure may cause skin dryness or cracking.

Prevention Keep away from heat, sparks, open flames and No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof equipment Use non-sparking tools

Take action to prevent static discharges

Wear protective gloves, protective clothing, eye and face protection



Response IF ON SKIN (HAIR): Take off immediately all contaminated clothing. Rinse affected areas

with water/shower.

IN CASE OF FIRE: Use dry chemical, CO2, alcohol resistant foam or water spray to

extinguish

Storage Store in a well-ventilated place.

Keep cool.

Disposal Dispose of contents and/or container in accordance with local regulations

HMIS CLASSIFICATION Health Hazard 1 Flammability 2

Reactivity 0 Personal Protection E

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME Not applicable

BOTANICAL NAME Not applicable

SYNONYM Not applicable

CHEMICAL FORMULA Not applicable

CHEMICAL FAMILY

Not applicable

CAS NUMBER Not applicable

ALTERNATE CAS NUMBER Not applicable

MOLECULAR WEIGHT Not applicable

COMPOSITION

NOTES

CHEMICAL NAME	CAS NUMBER	EC NUMBER	% BY WEIGHT
ETHANOL	64-17-5	200-578-6	< 1
PROPYLENE GLYCOL	57-55-6	200-338-0	Proprietary*

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

All flavor ingredients contained in this product are approved for use in a regulation of the Food And Drug Administration or are listed as being generally recognized as safe on the FEMA GRAS list.

*Flavoring components are considered trade secret. Therefore the chemical names, exact compositional breakdown, or other chemical identification of the specific compounds of flavor ingredients are withheld in accordance with 1910.1200 of the Code of Federal regulations.

This prouduct contains: Propylene Glycol, Water, Ethanol, and Natural Artificial Flavor.

*Proprietary: Ingredients indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as trade secret.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT

Flush with copious amounts of water for 15 minutes, separating eyelids with fingers. If irritation persists seek

medical aid.

IN CASE OF SKIN CONTACT Wash with soap & water for 15 minutes. If irritation persists seek medical aid.

IF SWALLOWED Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.

IF INHALED Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a

physician

Last Revision: 06/2023



MEDICAL ATTENTION AND SPECIAL

Get emergency medical help.

TREATMENT

SYMPTOMS CAUSED BY EXPOSURE

Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM

THE CHEMICAL

FLAMMABLE PROPERTIES

HAZARDOUS COMBUSTION PRODUCTS

SUITABLE & UNSUITABLE EXTINGUISHING MEDIA

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Not applicable

Flammable liquid and vapor.

Under fire conditions, hazardous fumes will be present.

Small fire: dry chemical, CO₂ or water spray. **Large fire:** dry chemical, CO₂, alcohol resistant foam or water spray. Do not get water inside containers.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

METHODS & MATERIAL FOR CONTAINMENT

On land, sweep or shovel into suitable containers.

CLEANUP PROCEDURE

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

CONDITIONS FOR SAFE STORAGE

Store away from incompatible materials, in a well-ventilated area. Eliminate all sources of ignition. Store in accordance with local regulations. Do not store in unlabeled containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

STORAGE CONDITIONS

Last Revision: 06/2023

Store in original container, tightly sealed, protected from direct sunlight and moisture.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION



Chemical Name: ETHANOL CAS #: 64-17-5

Last Revision: 06/2023

	CAS #: 64-17-5									
Country						REL	Advisory	Notes		
	ppm		ppm					North		
								N/A		
USA							N/A	N/A		
USA	1000	1900	N/L	N/L		N/L	N/A	N/A		
					'					
LICA	NI/I	NI/I	NI/I	NI/I		NI/I	NI/A	N/A		
								N/A		
								N/A		
Austria	1000							N/A		
Belgium	1000	1907	N/L	N/L	N/L	N/L	N/A	N/A		
Canada-Ontario	N/L	N/L	1000	N/L	N/L	N/L	N/A	N/A		
Canada-Quebec	N/L	N/L	1000(1)	N/L	N/L	N/L	N/A	(1) 15 minutes average value		
Denmark	1000	1900	2000	3800	N/L	N/L	N/A	N/A		
Finland	1000	1900	1300(1)	2500(1)	N/L	N/L	N/A	(1) 15 minutes average value		
France	1000	1900	5000	9500	N/L	N/L	N/A	N/A		
Germany-AGS	200	380	800(1)	1520(1)	N/L	N/L	N/A	(1) 15 minutes average value		
Germany-DFG	200	380	800(1)	1520(1)	N/L	N/L	N/A	(1) 15 minutes average value		
Hungary	N/L	1900	N/L	3800(1)	N/L	N/L	N/A	(1) 15 minutes average value		
Ireland	N/L	N/L	1000(1)	N/L	N/L	N/L	N/A	(1) 15 minutes average value		
Latvia	N/L	1000	N/L	N/L	N/L	N/L	N/A	N/A		
New Zealand	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A		
Norway	500	950		N/L	N/L	N/L	N/A	N/A		
·								N/A		
Romania	1000	1900	5000(1)	9500(1)	N/L	N/L	N/A	(1) 15 minutes average value		
Singapore	1000	1880	N/L	N/L	N/L	N/L	N/A	N/A		
South Africa	N/L	N/L	2000(1)	N/L	N/L	N/L	N/A	(1) 15 minutes average value		
South Africa Mining	1000	1900	N/L	N/L	N/L	N/L	N/A	N/A		
South Korea	1000	N/L	N/L			N/L	N/A	N/A		
								N/A		
Sweden	500	1000	1000(1)	1900(1)	N/L	N/L	N/A	(1) 15 minutes average		
Switzerland	500	960	1000	1920	N/L	N/L	N/A	value N/A		
	USA USA USA USA USA USA USA Australia UK Austria Belgium Canada-Ontario Canada-Quebec Denmark Finland France Germany-AGS Germany-DFG Hungary Ireland Latvia New Zealand Norway Poland Romania Singapore South Africa South Africa Mining South Korea Spain	USA 1000 USA N/L USA 1000 USA N/L USA 1000 USA N/L Australia 1000 UK 1000 Austria 1000 Belgium 1000 Canada-Ontario N/L Canada-Quebec N/L Denmark 1000 Finland 1000 France 1000 Germany-AGS 200 Germany-DFG 200 Hungary N/L Ireland N/L Latvia N/L New Zealand 1000 Norway 500 Poland N/L Romania 1000 Singapore 1000 South Africa Mining 1000 South Korea 1000 Spain N/L	USA 1000 1900 USA N/L N/L USA 1000 1900 USA N/L N/L USA N/L N/L Australia 1000 1920 Austria 1000 1900 Belgium 1000 1907 Canada-Ontario N/L N/L Canada-Quebec N/L N/L N/L N/L N/L Denmark 1000 1900 Finland 1000 1900 France 1000 1900 Germany-AGS 200 380 Hungary N/L 1900 Ireland N/L N/L Norway 500 950 Poland N/L 1900 Romania 1000 1900 Singapore 1000 1880 South Africa N/L N/L South Korea 1000 N/L	USA 1000 1900 N/L USA 1000 1900 N/L USA N/L N/L 1000 USA 1000 1900 N/L USA N/L N/L N/L Australia 1000 1880 N/L UK 1000 1920 N/L Austria 1000 1900 2000 Belgium 1000 1907 N/L Canada-Ontario N/L N/L 1000 Canada-Quebec N/L N/L 1000(1) Finland 1000 1900 2000 Finland 1000 1900 5000 Germany-AGS 200 380 800(1) France 1000 1900 500 Germany-DFG 200 380 800(1) Hungary N/L 1900 N/L Iteland N/L N/L 1000(1) Latvia N/L 1000	Ppm mg/m² Ppm mg/m² N/L N/L	USA 1000 1900 N/L N/L N/L USA 1000 1900 N/L N/L N/L N/L USA N/L N/L N/L 1000 N/L N/L N/L USA N/L N/L N/L N/L N/L N/L N/L Australia 1000 1880 N/L N/L N/L N/L Austral 1000 1920 N/L N/L N/L N/L Austria 1000 1900 2000 3800 N/L Austria 1000 1900 2000 3800 N/L Austria 1000 1907 N/L N/L N/L Austria 1000 1907 N/L N/L N/L Austria 1000 1907 N/L N/L N/L Canada-Ontario N/L N/L N/L N/L N/L N/L Denmark 1000 1900	Description	USA 1000 1900 N/L N/		



GESTIS	The Netherlands	N/L	260(1)	N/L	1920(1)(2)	N/L	N/L	N/A	(1) 15 minutes average
									value

Chemical Name: PROPYLENE GLYCOL CAS #: 57-55-6

	Country	Limit valu	ue-8 hours	Limit value-Short Term		ırs Limit value-Short Term		IDLH	REL	Advisory	Notes	
		ppm	mg/m³	ppm	mg/m³							
OSHA	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A			
ACGIH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A			
NIOSH	USA	N/L	N/L	N/L	N/L	N/L	N/L	N/A	N/A			
WEEL	USA	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A			
HSIS	Australia	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A			
HSE	UK	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A			
GESTIS	Canada-Ontario	N/L	10(1)	N/L	N/L	N/L	N/L	N/A	(1) For assessing the visibility in a work environment where 1,2-propylene glycol aerosol is present.			
GESTIS	Ireland	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A			
GESTIS	Latvia	N/L	7	N/L	N/L	N/L	N/L	N/A	N/A			
GESTIS	Poland	N/L	100(1)	N/L	N/L	N/L	N/L	N/A	(1) Inhalable fraction			
GESTIS	South Africa Mining	N/L	10	N/L	N/L	N/L	N/L	N/A	N/A			

N/L = Not listed; N/A = Not Available

PELs are 8-hour TWAs = Limit value - Eight hours

Ceiling or Short-Term TWA = STEL = Limit value - Short term

EXPOSURE GUIDELINESConsult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable

fraction: 5 mg/m³.

PERSONAL PROTECTIVE EQUIPMENT

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by WHMIS or OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. **Skin:** Wear appropriate gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to minimize contact with skin. **Respirators:** Follow WHMIS or OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. **Thermal Hazards:** For products representing a

thermal hazard, appropriate Personal Protective Equipment should be used.

SPECIFIC ENGINEERING CONTROLS Adequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

BIOLOGICAL MONITORING

Not available

CONTROL BANDING

Not available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

Last Revision: 06/2023

DESCRIPTION Pale to medium yellow liquid with specific odor.

SOLUBILITY Soluble in water.

ODOR Characteristic odor

FLAMMABILITY Flammable liquid and vapor.



AUTO-IGNITION TEMPERATURE	Not available	BOILING POINT	Not available	DECOMPOSITION TEMPERATURE	Not available
EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available	FLASH POINT	55.28 °C, 131.50 °F
log P (OCTANOL-WATER)	Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	MELTING/FREEZING POINT	Not available
PARTICLE CHARACTERISTICS	Not available	OXIDIZING PROPERTY	Not available	pH	Not available
RELATIVE DENSITY (WATER = 1)	Not available	SPECIFIC GRAVITY	1.007-1.027 (25°C)	UPPER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available
VAPOR DENSITY (AIR = 1)	Not available	VAPOR PRESSURE	Not available	VISCOSITY	Not available

The physical data presented above are typical values and should not be construed as a specification.

NOTES The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY Not established

CHEMICAL STABILITY Stable under recommended storage conditions.

INCOMPATIBLE MATERIALS Strong oxidants, strong acids and strong bases.

HAZARDOUS DECOMPOSITION Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur.

PRODUCTS

HAZARDOUS POLYMERIZATION

POSSIBLITY OF HAZARDOUS Not established

REACTION

Last Revision: 06/2023

CONDITIONS TO AVOID Moisture, sunlight and extreme temperatures.

Heat and sources of ignition.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Oral: Rat: LD50: (mg/kg): Not available

Dermal: Rabbit LD50: (mg/kg): Not available Inhalation: Rat: LC50: (mg/L/4hr): Not available

SKIN CORROSION/IRRITATIONBased on available data, the classification criteria are not met.

Will not occur.

Contains ETHANOL: Rabbit: 24 hours: Irritating to skin

SERIOUS EYE DAMAGE/EYE Based on available data, the classification criteria are not met.

IRRITATION Contains ETHANOL: Rabbit: Draize Test: 24 hours: Mild eye irritation

RESPIRATORY SENSITIZATIONDue to lack of data the classification is not possible.



SKIN SENSITIZATION

Due to lack of data the classification is not possible.

GERM CELL MUTAGENICITY

Due to lack of data the classification is not possible.

CARCINOGENICITY

OSHA ETHANOL is listed.

Based on the compositional information available from the supplier, no other component of

this product is listed.

NTP ETHANOL is listed.

Based on the compositional information available from the supplier, no other component of

this product is listed.

IARC ETHANOL is listed in group 1 (carcinogenic to humans).

Based on the compositional information available from the supplier, no other component of

this product is listed.

California
Proposition 65

This product contains the following chemical known to the State of California to cause

cancer: ETHANOL.

Based on the compositional information available from the supplier, no other component of

this product is listed.

ADDITIONAL CARCINOGENICITY

INFORMATION

Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY

Based on available data, the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY -

SINGLE EXPOSURE

Due to lack of data the classification is not possible.

SPECIFIC TARGET ORGAN TOXICITY -

REPEATED EXPOSURE

Due to lack of data the classification is not possible.

ASPIRATION HAZARDS

Due to lack of data the classification is not possible.

SIGNS AND SYMPTOMS OF

EXPOSURE

ROUTES OF EXPOSURE:

Oral, Dermal, Inhalation, Eye contact

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE:

Not available

DELAYED HEALTH EFFECT FROM EXPOSURE:

Not available

Not expected to present a significant hazard under anticipated conditions of normal use.

POTENTIAL HEALTH EFFECTS

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation. May cause an allergic

reaction.

Eyes Causes eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY EC50: 48 Hr: Crustacea: (mg/L): Not available

Not available

LC50: 96 Hr: Fish: (mg/L): Not available

EC50: 72 or 96 Hr: Algae (or other aqua plants): (mg/L): Not available

PERSISTENCE AND DEGRADABILITY

Last Revision: 06/2023

. . .

BIOACCUMULATIVE POTENTIAL Not available

MOBILITY IN SOIL Soluble in water.

OTHER ADVERSE EFFECTS Not available

This product is not intended to be released into the environment



SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UN PROPER SHIPPING NAME EXTRACTS, FLAVORING, LIQUID

 UN NUMBER
 1197

 CLASS
 3

PACKING GROUP III

<u>AUSTRALIA</u>

HAZCHEM 3Y

EU

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE

IBC CODE

Not listed

ENVIRONMENTAL HAZARDS Not available SPECIAL SHIPPING INFORMATION Not applicable

SECTION 15: REGULATORY INFORMATION

UNITED STATES REGULATIONS

Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CFR Part 355		Right-to-know Pennsylvania New Jersey Massachusetts			California Prop 65
ETHANOL 64-17-5	N/L	N/L	N/L	N/L	X	X	X	X
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	Х	Х	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors	Poisons Standard	Work Health and Safety Regulations	Inventory of Industrial Chemcials
ETHANOL 64-17-5	N/L	N/L	Listed as Category	N/L	N/L	N/L
			III			
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed

EU REGULATIONS

Last Revision: 06/2023



Chemical Name & CAS	REACH ANNEX XVII	REACH ANNEX XIV	EC 1005/2009	EC 850/2004	EC 1107/2009	PIC - Prior Informed Consent Regulation	EC 2012/18
ETHANOL 64-17-5	N/L	N/L	N/L	N/L	N/L	N/L	N/L
PROPYLENE GLYCOL 57-55-6	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

Any EU regulation not listed above is not applicable to this product. SUBJECT TO INTERNATIONAL

AGREEMENT

Not applicable

SECTION 16: OTHER INFORMATION

REFERENCES

ABBREVIATIONS AND ACRONYMS

Available upon request

ACGIH - American Conference of Governmental Industrial Hygienists; AIHA WEEL - American Industrial Hygiene Association Workplace Environment Exposure Levels; CAESAR - Computer Assisted Evaluation of industrial chemical Substances According to Regulations; CAS - Chemical Abstract Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; EC50 - Effective Concentration, 50%; EPA - Environmental Protection Agency; GHS - Global Harmonized System; HMIS - Hazardous Materials Information System; HSE - Health and Safety Executive; HSIS - Hazardous Substances Information System; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IRFMN - Ready Biodegradability Model; ISS - Instituto Superiore Sanità; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; MSHA - Mine Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA PEL - Occupational Safety & Health Administration Permissible Exposure Limits; QSAR – Quantitative Structure-activity relationship; REL -Recommended Exposure Limit; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TLV - Threshold Limit Value; TWA - Time Weighted Average; WHMIS - Workplace Hazardous Materials Information System

LAST REVISION **SUPERSEDES**

06/2023

05/2019

For a list of changes to the SDS since the last version, please communicate with MEDISCA at www.medisca.com

DISCLAIMER

This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.

SUPPLEMENTARY INFORMATION

Last Revision: 06/2023

For all country specific requirements not outlined on this Safety Data Sheet, please request Supplementary Page to this Safety Data Sheet.